CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Virag Distribution LLC
1601 N Powerline Road Unit 1,
Pompano Beach Florida

Batch #: 020524-TOR-CRY-D-7.5G-CAK

Laboratory Number: ATL-21138

Report Issue Date: 5/14/2024

Order Date: 5/13/2024

Analysis Date: 5/14/2024

Sample Description:
Torch 7.5g Cryo Live Resin THCA - Cake Bomb

Unit Weight: 7.5g / Disposable

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	3870.300	51.604
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	335.250	4.470
9R-HHC	<0.013	631.875	8.425
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	1045.350	13.938
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	299.925	3.999
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	29.550	0.394
9R-HHCP	<0.010	330.900	4.412
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	916.77	12.22
Max Active CBD	N/D	N/D
Total Active Cannabinoids	6414.57	85.53
Total Cannabinoids	6543.15	87.24

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Virag Distribution LLC
1601 N Powerline Road Unit 1,
Pompano Beach Florida

Batch #: 020524-TOR-CRY-D-7.5G-CAK

Laboratory Number: ATL-20478

Report Issue Date: 4/17/2024

Order Date: 4/15/2024

Analysis Date: 4/17/2024

Sample Description:
Torch 7.5g Cryo Blend - Watermelon Mimosa

Unit Weight: 7.5g / Disposable

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	3861.150	51.482
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	344.175	4.589
9R-HHC	<0.013	393.225	5.243
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	1046.550	13.954
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	286.425	3.819
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	26.700	0.356
9R-HHCP	<0.010	318.300	4.244
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	917.82	12.24
Max Active CBD	N/D	N/D
Total Active Cannabinoids	6147.80	81.97
Total Cannabinoids	6276.53	83.69

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Virag Distribution LLC
1601 N Powerline Road Unit 1,
Pompano Beach Florida

Batch #: 020524-TOR-CRY-D-7.5G-ROS

Laboratory Number: ATL-21140

Report Issue Date: 5/14/2024

Order Date: 5/13/2024

Analysis Date: 5/14/2024

Sample Description:
Torch 7.5g Cryo Live Resin THCA - Rose Gold Runtz

Unit Weight: 7.5g / Disposable

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	3917.100	52.228
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	318.225	4.243
9R-HHC	<0.013	622.425	8.299
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	1024.350	13.654
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	292.350	3.898
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	25.650	0.342
9R-HHCP	<0.010	323.100	4.308
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	898.09	11.97
Max Active CBD	N/D	N/D
Total Active Cannabinoids	6396.94	85.29
Total Cannabinoids	6522.90	86.97

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Virag Distribution LLC
1601 N Powerline Road Unit 1,
Pompano Beach Florida

Batch #: -

Laboratory Number: ATL-20486

Report Issue Date: 4/17/2024

Order Date: 4/17/2024

Analysis Date: 4/17/2024

Sample Description:
Torch 7.5g Cryo Blend - Blue Guava

Unit Weight: 7.5g / disposable

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	3781.575	50.421
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	343.950	4.586
9R-HHC	<0.013	613.950	8.186
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	1032.075	13.761
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	279.750	3.730
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	24.450	0.326
9R-HHCP	<0.010	307.875	4.105
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	905.13	12.07
Max Active CBD	N/D	N/D
Total Active Cannabinoids	6256.68	83.42
Total Cannabinoids	6383.63	85.12

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Virag Distribution LLC
1601 N Powerline Road Unit 1,
Pompano Beach Florida

Batch #: -

Laboratory Number: ATL-20482

Report Issue Date: 4/17/2024
Order Date: 4/17/2024
Analysis Date: 4/17/2024

Sample Description:
Torch 7.5g Cryo Blend - Paradise OG

Unit Weight: 7.5g / disposable

Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	3861.525	51.487
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	338.400	4.512
9R-HHC	<0.013	615.525	8.207
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	1051.575	14.021
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	284.250	3.790
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	25.500	0.340
9R-HHCP	<0.010	312.675	4.169
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	922.23	12.30
Max Active CBD	N/D	N/D
Total Active Cannabinoids	6360.11	84.80
Total Cannabinoids	6489.45	86.53

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Virag Distribution LLC
1601 N Powerline Road Unit 1,
Pompano Beach Florida

Batch #: 020524-TOR-CRY-D-7.5G-LEM

Laboratory Number: ATL-21139

Report Issue Date: 5/14/2024

Order Date: 5/13/2024

Analysis Date: 5/14/2024

Sample Description:
Torch 7.5g Cryo Live Resin THCA - Lemon Creme

Unit Weight: 7.5g / Disposable

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	3874.875	51.665
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	347.850	4.638
9R-HHC	<0.013	634.950	8.466
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	1041.375	13.885
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	297.975	3.973
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	30.375	0.405
9R-HHCP	<0.010	328.650	4.382
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	913.29	12.18
Max Active CBD	N/D	N/D
Total Active Cannabinoids	6427.96	85.71
Total Cannabinoids	6556.05	87.41

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Document ID: ATL-225A Revision: 03 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Report Issue Date: 5/14/2024

Customer: Virag Distribution LLC
1601 N Powerline Road Unit 1,
Pompano Beach Florida

Batch #: 020524-TOR-CRY-D-7.5G-GRA

Order Date: 5/13/2024

Laboratory Number: ATL-21141

Analysis Date: 5/14/2024

Sample Description:
Torch 7.5g Cryo Live Resin THCA - Grape Gelato

Unit Weight: 7.5g / Disposable

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	3772.125	50.295
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	371.625	4.955
9R-HHC	<0.013	650.925	8.679
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	1028.550	13.714
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	286.575	3.821
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	25.800	0.344
9R-HHCP	<0.010	318.900	4.252
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	902.04	12.03
Max Active CBD	N/D	N/D
Total Active Cannabinoids	6327.99	84.37
Total Cannabinoids	6454.50	86.06

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Report Issue Date: 4/17/2024

Customer: Virag Distribution LLC
1601 N Powerline Road Unit 1,
Pompano Beach Florida

Batch #: -

Order Date: 4/17/2024

Laboratory Number: ATL-20481

Analysis Date: 4/17/2024

Sample Description:
Torch 7.5g Cryo Blend - Jupiter Jack

Unit Weight: 7.5g / disposable

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	3781.275	50.417
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	351.300	4.684
9R-HHC	<0.013	615.375	8.205
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	1041.300	13.884
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	289.575	3.861
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	27.375	0.365
9R-HHCP	<0.010	323.475	4.313
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	913.22	12.18
Max Active CBD	N/D	N/D
Total Active Cannabinoids	6301.60	84.02
Total Cannabinoids	6429.68	85.73

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Virag Distribution LLC
1601 N Powerline Road Unit 1,
Pompano Beach Florida

Batch #: 020524-TOR-CRY-D-7.5G-BAN

Laboratory Number: ATL-21137

Report Issue Date: 5/14/2024

Order Date: 5/13/2024

Analysis Date: 5/14/2024

Sample Description:
Torch 7.5g Cryo Live Resin THCA - Banana Haze

Unit Weight: 7.5g / Disposable

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	3799.050	50.654
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	332.775	4.437
9R-HHC	<0.013	622.125	8.295
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	1020.075	13.601
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	291.825	3.891
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	28.800	0.384
9R-HHCP	<0.010	323.925	4.319
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	894.61	11.93
Max Active CBD	N/D	N/D
Total Active Cannabinoids	6293.11	83.91
Total Cannabinoids	6418.58	85.58

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Virag Distribution LLC
1601 N Powerline Road Unit 1,
Pompano Beach Florida

Batch #: -

Laboratory Number: ATL-20483

Report Issue Date: 4/17/2024

Order Date: 4/17/2024

Analysis Date: 4/17/2024

Sample Description:
Torch 7.5g Cryo Blend - Green Apple

Unit Weight: 7.5g / disposable

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	3810.000	50.800
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	333.675	4.449
9R-HHC	<0.013	615.300	8.204
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	1039.500	13.860
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	277.275	3.697
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	25.350	0.338
9R-HHCP	<0.010	318.000	4.240
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	911.64	12.16
Max Active CBD	N/D	N/D
Total Active Cannabinoids	6291.24	83.88
Total Cannabinoids	6419.10	85.59

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com