

PharmLabs San Diego Certificate of Analysis



Sample White Out 3.5g - Avalanche Kush (Hybrid)

| | | | | | | | |
|------------|-------|------|----|--------------------------------|-------|------------|-------|
| Delta9 THC | 0.11% | THCa | ND | Total THC (THCa * 0.877 + THC) | 0.11% | Delta8 THC | 0.30% |
|------------|-------|------|----|--------------------------------|-------|------------|-------|

| | | | |
|-------------------|---|----------|--------------|
| Sample ID | SD241023-076 (101389) | Matrix | Concentrate |
| Tested for | Latro inc | | |
| Sampled | - | Received | Oct 23, 2024 |
| Analyses executed | RES, MIBIG, MICK, MTO, PES, HME, FVI, D9C | Reported | Oct 31, 2024 |

Summary D9C: The total Δ9-THC content in this sample is 0.11%. For the most accurate Δ9-THC concentration, refer to the GC MS/MS section of this COA. This sample was tested using HPLC and GC MS/MS. HPLC analysis can yield inconsistent results for Δ8-THC and Δ9-THC due to isomer interference. GC MS/MS was employed to avoid this issue. Please note, if THCa is present, the Δ9-THC level measured by GC MS/MS might be higher due to decarboxylation.

D9C - D9 Confirmation Analysis

Analyzed Oct 21, 2024 | Instrument GC MS/MS | Method SOP-041 D9C
The expanded Uncertainty of the analysis is approximately ±7.806% at the 95% Confidence Level

| Analyte | LOD ppb | LOQ ppb | Result % | Result mg/g |
|----------------------------------|------------|------------|-------------|----------------|
| Δ9-Tetrahydrocannabinol (Δ9-THC) | 1.462 | 4.432 | 0.11 | 1.10 |
| Total Cannabinoids Analyzed | - | - | 0.11 | 1.10 |

CANx - Cannabinoids Analysis

Analyzed Oct 30, 2024 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoid analysis is approximately ±7.806% at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g | Sample photography |
|--|-------------|-------------|-------------|----------------|--------------------|
| 11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV) | 0.013 | 0.041 | ND | ND | |
| Cannabidiol (CBDO) | 0.002 | 0.007 | ND | ND | |
| Abnormal Cannabidiol (a-CBDO) | 0.01 | 0.031 | ND | ND | |
| (+/-)-9B-hydroxy-Hexahydrocannabinol (9b-HHC) | 0.012 | 0.036 | ND | ND | |
| 11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC) | 0.007 | 0.021 | ND | ND | |
| Cannabidiolic Acid (CBDA) | 0.001 | 0.16 | 0.50 | 4.97 | |
| Cannabigerol Acid (CBGA) | 0.001 | 0.16 | ND | ND | |
| Cannabigerol (CBG) | 0.001 | 0.16 | ND | ND | |
| Cannabidiol (CBD) | 0.001 | 0.16 | 3.91 | 39.13 | |
| 1(S)-Tetrahydrocannabinol (1(S)-H4-CBD) | 0.013 | 0.041 | ND | ND | |
| 1(R)-Tetrahydrocannabinol (1(R)-H4-CBD) | 0.025 | 0.075 | ND | ND | |
| Tetrahydrocannabivarin (THCV) | 0.001 | 0.16 | ND | ND | |
| Δ8-tetrahydrocannabivarin (Δ8-THCV) | 0.021 | 0.064 | ND | ND | |
| Cannabidihexol (CBDH) | 0.005 | 0.16 | ND | ND | |
| Tetrahydrocannabinol (Δ9-THCB) | 0.013 | 0.038 | ND | ND | |
| Cannabinol (CBN) | 0.001 | 0.16 | ND | ND | |
| Cannabidiphorol (CBDP) | 0.015 | 0.047 | ND | ND | |
| exo-THC (exo-THC) | 0.005 | 0.16 | ND | ND | |
| Tetrahydrocannabinol (Δ9-THC) | 0.003 | 0.16 | 0.80 | 8.05 | |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.004 | 0.16 | 0.30 | 3.02 | |
| (6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10) | 0.126 | 0.42 | ND | ND | |
| Hexahydrocannabinol (S Isomer) (9s-HHC) | 0.017 | 0.16 | 11.53 | 115.28 | |
| (6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10) | 0.118 | 0.39 | ND | ND | |
| Hexahydrocannabinol (R Isomer) (9r-HHC) | 0.016 | 0.16 | 37.94 | 379.39 | |
| Tetrahydrocannabinolic Acid (THCA) | 0.001 | 0.16 | ND | ND | |
| Δ9-Tetrahydrocannabinol (Δ9-THCH) | 0.024 | 0.071 | ND | ND | |
| Cannabinol Acetate (CBNO) | 0.014 | 0.043 | ND | ND | |
| Δ9-Tetrahydrocannabiphorol (Δ9-THCP) | 0.017 | 0.16 | 22.03 | 220.27 | |
| Δ8-Tetrahydrocannabiphorol (Δ8-THCP) | 0.041 | 0.16 | 0.77 | 7.69 | |
| Cannabicitran (CBT) | 0.005 | 0.16 | ND | ND | |
| Δ8-THC-O-acetate (Δ8-THCO) | 0.076 | 0.16 | ND | ND | |
| 9(S)-HHCP (s-HHCP) | 0.031 | 0.094 | ND | ND | |
| Δ9-THC-O-acetate (Δ9-THCO) | 0.066 | 0.16 | ND | ND | |
| 9(R)-HHCP (r-HHCP) | 0.026 | 0.079 | ND | ND | |
| 9(S)-HHC-O-acetate (s-HHCO) | 0.005 | 0.16 | ND | ND | |
| 9(R)-HHC-O-acetate (r-HHCO) | 0.008 | 0.025 | ND | ND | |
| 3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8) | 0.067 | 0.204 | ND | ND | |
| Total THC (THCa * 0.877 + Δ9THC) | | | 0.80 | 8.05 | |
| Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC) | | | 1.11 | 11.07 | |
| Total CBD (CBDA * 0.877 + CBD) | | | 4.35 | 43.49 | |
| Total CBG (CBGa * 0.877 + CBG) | | | ND | ND | |
| Total HHC (9r-HHC + 9s-HHC) | | | 49.47 | 494.67 | |
| Total Cannabinoids Analyzed | | | 77.72 | 777.19 | |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Thu, 31 Oct 2024 17:27:32 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

HME - Heavy Metals Analysis

Analyzed Oct 27, 2024 | Instrument ICP/MSMS | Method SOP-005

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|--------------|----------|----------|-------------|------------|
| Arsenic (As) | 0.0009 | 0.0027 | 0.00 | 1.5 |
| Cadmium (Cd) | 0.0005 | 0.0015 | ND | 0.5 |
| Mercury (Hg) | 0.0058 | 0.0174 | ND | 3 |
| Lead (Pb) | 0.0006 | 0.0018 | 0.02 | 0.5 |

MIBIG - Microbial Analysis

Analyzed Oct 31, 2024 | Instrument qPCR and/or Plating | Method SOP-007

| Analyte | LOD | LOQ | Result CFU/g | Limit | Analyte | LOD | LOQ | Result CFU/g | Limit |
|--|-----|-----|--------------|---------------|---------------------|-----|-----|--------------|---------------|
| Shiga toxin-producing Escherichia Coli | | | ND | ND per 1 gram | Salmonella spp. | | | ND | ND per 1 gram |
| Aspergillus fumigatus | | | ND | ND per 1 gram | Aspergillus flavus | | | ND | ND per 1 gram |
| Aspergillus niger | | | ND | ND per 1 gram | Aspergillus terreus | | | ND | ND per 1 gram |

MTO - Mycotoxin Analysis

Analyzed Oct 25, 2024 | Instrument LC/MSMS | Method SOP-004

| Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg (ppb) | Limit ug/kg | Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg (ppb) | Limit ug/kg |
|--------------|-----------|-----------|--------------------|-------------|------------------|-----------|-----------|--------------------|-------------|
| Ochratoxin A | 5.0 | 20.0 | ND | 20 | Aflatoxin B1 | 2.5 | 5.0 | ND | - |
| Aflatoxin B2 | 2.5 | 5.0 | ND | - | Aflatoxin G1 | 2.5 | 5.0 | ND | - |
| Aflatoxin G2 | 2.5 | 5.0 | ND | - | Total Aflatoxins | 10.0 | 20.0 | ND | 20 |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Thu, 31 Oct 2024 17:27:32 -0700

PES - Pesticides Analysis

Analyzed Oct 30, 2024 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| CAPPELLE | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb | 0.01 | 0.02 | ND | 0 | Carbofuran | 0.01 | 0.02 | ND | 0 |
| Dimethoate | 0.01 | 0.02 | ND | 0 | Etofenprox | 0.02 | 0.1 | ND | 0 |
| Fenoxycarb | 0.01 | 0.02 | ND | 0 | Thiachloprid | 0.01 | 0.02 | ND | 0 |
| Daminozide | 0.01 | 0.03 | ND | 0 | Dichlorvos | 0.02 | 0.07 | ND | 0 |
| Imazalil | 0.02 | 0.07 | ND | 0 | Methiocarb | 0.01 | 0.02 | ND | 0 |
| Spiroxamine | 0.01 | 0.02 | ND | 0 | Coumaphos | 0.01 | 0.02 | ND | 0 |
| Fipronil | 0.01 | 0.1 | ND | 0 | Paclobutrazol | 0.01 | 0.03 | ND | 0 |
| Chlorpyrifos | 0.01 | 0.04 | ND | 0 | Ethoprophos (Prophos) | 0.01 | 0.02 | ND | 0 |
| Baygon (Propoxur) | 0.01 | 0.02 | ND | 0 | Chlordane | 0.04 | 0.1 | ND | 0 |
| Chlorfenapyr | 0.03 | 0.1 | ND | 0 | Methyl Parathion | 0.02 | 0.1 | ND | 0 |
| Mevinphos | 0.03 | 0.08 | ND | 0 | Abamectin | 0.03 | 0.08 | ND | 0.1 |
| Acephate | 0.02 | 0.05 | ND | 0.1 | Acetamiprid | 0.01 | 0.05 | ND | 0.1 |
| Azoxystrobin | 0.01 | 0.02 | ND | 0.1 | Bifenazote | 0.01 | 0.05 | ND | 0.1 |
| Bifenthrin | 0.02 | 0.35 | ND | 3 | Boscalid | 0.01 | 0.03 | ND | 0.1 |
| Carbaryl | 0.01 | 0.02 | ND | 0.5 | Chlorantranilprole | 0.01 | 0.04 | ND | 10 |
| Clofentezine | 0.01 | 0.03 | ND | 0.1 | Diazinon | 0.01 | 0.02 | ND | 0.1 |
| Dimethomorph | 0.02 | 0.06 | ND | 2 | Etoxazole | 0.01 | 0.05 | ND | 0.1 |
| Fenpyroximate | 0.02 | 0.1 | ND | 0.1 | Flonicamid | 0.01 | 0.02 | ND | 0.1 |
| Fludioxonil | 0.01 | 0.05 | ND | 0.1 | Hexythiazox | 0.01 | 0.03 | ND | 0.1 |
| Imidacloprid | 0.01 | 0.05 | ND | 5 | Kresoxim-methyl | 0.01 | 0.03 | ND | 0.1 |
| Malathion | 0.01 | 0.05 | ND | 0.5 | Metaxalyl | 0.01 | 0.02 | ND | 2 |
| Methomyl | 0.02 | 0.05 | ND | 1 | Myclobutanil | 0.02 | 0.07 | ND | 0.1 |
| Naled | 0.01 | 0.02 | ND | 0.1 | Oxamyl | 0.01 | 0.02 | ND | 0.5 |
| Permethrin | 0.01 | 0.02 | ND | 0.5 | Phosmet | 0.01 | 0.02 | ND | 0.1 |
| Piperonyl Butoxide | 0.02 | 0.06 | ND | 3 | Propiconazole | 0.03 | 0.08 | ND | 0.1 |
| Prallethrin | 0.02 | 0.05 | ND | 0.1 | Pyrethrin | 0.05 | 0.41 | ND | 0.5 |
| Pyridaben | 0.02 | 0.07 | ND | 0.1 | Spinosad A | 0.01 | 0.05 | ND | 0.1 |
| Spinosad D | 0.01 | 0.05 | ND | 0.1 | Spiromesifen | 0.02 | 0.06 | ND | 0.1 |
| Spir tetramat | 0.01 | 0.02 | ND | 0.1 | Tebuconazole | 0.01 | 0.02 | ND | 0.1 |
| Thiamethoxam | 0.01 | 0.02 | ND | 5 | Trifloxystrobin | 0.01 | 0.02 | ND | 0.1 |
| Acequinocyl | 0.02 | 0.09 | ND | 0.1 | Captan | 0.01 | 0.02 | ND | 0.7 |
| Cypermethrin | 0.02 | 0.1 | ND | 1 | Cyfluthrin | 0.04 | 0.1 | ND | 2 |
| Fenhexamid | 0.02 | 0.07 | ND | 0.1 | Spinetoram J.L | 0.02 | 0.07 | ND | 0.1 |
| Pentachloronitrobenzene | 0.01 | 0.1 | ND | 0.1 | Chlormequat Chloride | 0.02 | 0.1 | NT | 0.2 |

RES - Residual Solvents Analysis

Analyzed Oct 25, 2024 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|------------------------------|----------|----------|-------------|------------|
| Propane (Prop) | 1.16 | 3.868 | 67.9 | 5000 | Butane (But) | 1.16 | 3.868 | ND | 5000 |
| Methanol (Metha) | 1.16 | 3.868 | <LOQ | 3000 | Ethylene Oxide (EthOx) | 1.16 | 3.868 | ND | 1 |
| Pentane (Pen) | 1.16 | 3.868 | ND | 5000 | Ethanol (Ethan) | 1.16 | 3.868 | 53.5 | 5000 |
| Ethyl Ether (EthEt) | 1.16 | 3.868 | ND | 5000 | Acetone (Acet) | 1.16 | 3.868 | <LOQ | 5000 |
| Isopropanol (2-Pro) | 1.16 | 3.868 | <LOQ | 5000 | Acetonitrile (Acetonit) | 1.16 | 3.868 | <LOQ | 410 |
| Methylene Chloride (MetCh) | 1.16 | 3.868 | ND | 1 | Hexane (Hex) | 1.16 | 3.868 | ND | 290 |
| Ethyl Acetate (EthAc) | 1.16 | 3.868 | ND | 5000 | Chloroform (Clo) | 1.16 | 3.868 | ND | 1 |
| Benzene (Ben) | 1.16 | 3.868 | ND | 1 | 1-2-Dichloroethane (12-Dich) | 1.16 | 3.868 | ND | 1 |
| Heptane (Hep) | 1.16 | 3.868 | 45.2 | 5000 | Trichloroethylene (TriClEth) | 1.16 | 3.868 | ND | 1 |
| Toluene (Toluene) | 1.16 | 3.868 | ND | 890 | Xylenes (Xyl) | 1.16 | 3.868 | ND | 2170 |

FVI - Filth & Foreign Material Inspection Analysis

Analyzed Oct 25, 2024 | Instrument Microscope | Method SOP-010

| Analyte / Limit | Result | Analyte / Limit | Result |
|--|--------|--|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND | > 1/4 of the total sample area covered by mold | ND |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g | ND | > 1/4 of the total sample area covered by an imbedded foreign material | ND |

MICx - Microbial X Analysis

Analyzed Oct 31, 2024 | Instrument Plating | Method SOP-007

| Analyte | LOD CFU/G | LOQ CFU/G | Result CFU/G |
|--------------------------------------|-----------|-----------|--------------|
| Total Yeast & Molds (TYM) | | | ND |
| Listeria (LIS) | | | ND |
| Gram Negative Bacteria (BTGN) | | | ND |
| Total Viable Aerobic Bacteria (TVAB) | | | ND |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Thu, 31 Oct 2024 17:27:32 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.



Sample **White Out 3.5g - Blizzard Blast (Sativa)**

| | | | | | | | |
|------------|-------|------|----|--------------------------------|-------|------------|-------|
| Delta9 THC | 0.11% | THCa | ND | Total THC (THCa * 0.877 + THC) | 0.11% | Delta8 THC | 0.27% |
|------------|-------|------|----|--------------------------------|-------|------------|-------|

| | | | |
|-------------------|---|----------|--------------|
| Sample ID | SD241023-078 (101391) | Matrix | Concentrate |
| Tested for | Latro inc | | |
| Sampled | - | Received | Oct 23, 2024 |
| Analyses executed | RES, MIBIG, MICK, MTO, PES, HME, FVI, D9C | Reported | May 30, 2025 |

Laboratory note: COA Update : 5/30/25 - Corrected formatting
Summary D9C: The total Δ9-THC content in this sample is 0.11%. For the most accurate Δ9-THC concentration, refer to the GC MS/MS section of this COA. This sample was tested using HPLC and GC MS/MS. HPLC analysis can yield inconsistent results for Δ8-THC and Δ9-THC due to isomer interference: GC MS/MS was employed to avoid this issue. Please note, if THCa is present, the Δ9-THC level measured by GC MS/MS might be higher due to decarboxylation.

D9C - D9 Confirmation

Analyzed Oct 21, 2024 | Instrument GC MS/MS | Method SOP-041 D9C
The expanded Uncertainty of the D9 Confirmation analysis is approximately ±7.806% at the 95% Confidence Level

| Analyte | LOD ppb | LOQ ppb | Result % | Result mg/g |
|----------------------------------|------------|------------|-------------|----------------|
| Δ9-Tetrahydrocannabinol (Δ9-THC) | 1.462 | 4.432 | 0.11 | 1.10 |
| Total Cannabinoids Analyzed | - | - | 0.11 | 1.10 |

CANx - Cannabinoids

Analyzed May 30, 2025 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g | Sample photography |
|--|-------------|-------------|-------------|----------------|--------------------|
| 11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV) | 0.013 | 0.041 | ND | ND | |
| Cannabidiol (CBDO) | 0.006 | 0.02 | ND | ND | |
| Abnormal Cannabidiol (a-CBDO) | 0.013 | 0.038 | ND | ND | |
| (+/-)-9B-hydroxy-Hexahydrocannabinol (9b-HHC) | 0.015 | 0.045 | ND | ND | |
| 11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC) | 0.015 | 0.045 | ND | ND | |
| Cannabidiolic Acid (CBDA) | 0.033 | 0.16 | 0.43 | 4.28 | |
| Cannabigerol Acid (CBGA) | 0.033 | 0.16 | ND | ND | |
| Cannabigerol (CBG) | 0.048 | 0.16 | ND | ND | |
| Cannabidiol (CBD) | 0.069 | 0.229 | 5.94 | 59.45 | |
| 1(S)-Tetrahydrocannabinol (1(S)-H4-CBD) | 0.008 | 0.026 | ND | ND | |
| 1(R)-Tetrahydrocannabinol (1(R)-H4-CBD) | 0.016 | 0.049 | ND | ND | |
| Tetrahydrocannabivarin (THCV) | 0.049 | 0.162 | ND | ND | |
| Δ8-tetrahydrocannabivarin (Δ8-THCV) | 0.012 | 0.036 | ND | ND | |
| Cannabidiol (CBDH) | 0.014 | 0.042 | ND | ND | |
| Tetrahydrocannabutol (Δ9-THCB) | 0.01 | 0.029 | ND | ND | |
| Cannabinol (CBN) | 0.047 | 0.16 | ND | ND | |
| Cannabidiophorol (CBDP) | 0.016 | 0.049 | ND | ND | |
| exo-THC (exo-THC) | 0.016 | 0.8 | ND | ND | |
| Tetrahydrocannabinol (Δ9-THC) | 0.092 | 0.307 | D9C | D9C | |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.044 | 0.16 | 0.27 | 2.71 | |
| (6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10) | 0.015 | 0.8 | ND | ND | |
| Hexahydrocannabinol (S isomer) (9s-HHC) | 0.017 | 0.8 | 10.62 | 106.25 | |
| (6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10) | 0.007 | 0.8 | ND | ND | |
| Hexahydrocannabinol (R isomer) (9r-HHC) | 0.016 | 0.8 | 35.59 | 355.89 | |
| Tetrahydrocannabinolic Acid (THCA) | 0.117 | 0.389 | ND | ND | |
| Δ9-Tetrahydrocannabihexol (Δ9-THCH) | 0.02 | 0.061 | ND | ND | |
| Cannabinol Acetate (CBNO) | 0.009 | 0.027 | ND | ND | |
| Δ9-Tetrahydrocannabiphorol (Δ9-THCP) | 0.017 | 0.8 | 23.30 | 233.04 | |
| Δ8-Tetrahydrocannabiphorol (Δ8-THCP) | 0.041 | 0.8 | 0.70 | 6.98 | |
| Cannabicitran (CBT) | 0.005 | 0.16 | ND | ND | |
| Δ8-THC-O-acetate (Δ8-THCO) | 0.076 | 0.8 | ND | ND | |
| 9(S)-HHCP (s-HHCP) | 0.013 | 0.041 | ND | ND | |
| Δ9-THC-O-acetate (Δ9-THCO) | 0.066 | 0.8 | ND | ND | |
| 9(R)-HHCP (r-HHCP) | 0.015 | 0.045 | ND | ND | |
| 9(S)-HHC-O-acetate (s-HHCO) | 0.037 | 0.112 | ND | ND | |
| 9(R)-HHC-O-acetate (r-HHCO) | 0.031 | 0.093 | ND | ND | |
| 3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8) | 0.021 | 0.062 | ND | ND | |
| Total THC (THCa * 0.877 + Δ9THC) | | | D9C | D9C | |
| Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC) | | | 0.27 | 2.71 | |
| Total CBD (CBDA * 0.877 + CBD) | | | 6.32 | 63.20 | |
| Total CBG (CBGa * 0.877 + CBG) | | | ND | ND | |
| Total HHC (9r-HHC + 9s-HHC) | | | 46.21 | 462.14 | |
| Total Cannabinoids Analyzed | | | 76.81 | 768.07 | |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:48 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

HME - Heavy Metals

Analyzed Oct 27, 2024 | Instrument ICP/MSMS | Method SOP-005

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|--------------|----------|----------|-------------|------------|
| Arsenic (As) | 0.0009 | 0.0027 | 0.02 | 1.5 |
| Cadmium (Cd) | 0.0005 | 0.0015 | ND | 0.5 |
| Mercury (Hg) | 0.0058 | 0.0174 | 0.00 | 3 |
| Lead (Pb) | 0.0006 | 0.0018 | 0.03 | 0.5 |

MIBIG - Microbial

Analyzed Oct 31, 2024 | Instrument qPCR and/or Plating | Method SOP-007

| Analyte | LOD CFU/g | LOQ CFU/g | Result CFU/g | Limit CFU/g |
|--|-----------|-----------|--------------|-------------|
| Shiga toxin-producing Escherichia Coli | 1.0 | 1.0 | ND | |
| Salmonella spp. | 1.0 | 1.0 | ND | |
| Aspergillus fumigatus | 1.0 | 1.0 | ND | |
| Aspergillus flavus | 1.0 | 1.0 | ND | |
| Aspergillus niger | 1.0 | 1.0 | ND | |
| Aspergillus terreus | 1.0 | 1.0 | ND | |

MTO - Mycotoxin

Analyzed Oct 25, 2024 | Instrument LC/MSMS | Method SOP-004

| Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg | Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg |
|--------------|-----------|-----------|--------------|-------------|------------------|-----------|-----------|--------------|-------------|
| Ochratoxin A | 5.0 | 20.0 | ND | 20 | Aflatoxin B1 | 2.5 | 5.0 | ND | - |
| Aflatoxin B2 | 2.5 | 5.0 | ND | - | Aflatoxin G1 | 2.5 | 5.0 | ND | - |
| Aflatoxin G2 | 2.5 | 5.0 | ND | - | Total Aflatoxins | 10.0 | 20.0 | ND | 20 |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:48 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides

Analyzed Oct 30, 2024 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb | 0.01 | 0.02 | ND | | Carbofuran | 0.01 | 0.02 | ND | |
| Dimethoate | 0.01 | 0.02 | ND | | Etofenprox | 0.02 | 0.1 | ND | |
| Fenoxycarb | 0.01 | 0.02 | ND | | Thiachloprid | 0.01 | 0.02 | ND | |
| Daminozide | 0.01 | 0.03 | ND | | Dichlorvos | 0.02 | 0.07 | ND | |
| Imazalil | 0.02 | 0.07 | ND | | Methiocarb | 0.01 | 0.02 | ND | |
| Spiroxamine | 0.01 | 0.02 | ND | | Coumaphos | 0.01 | 0.02 | ND | |
| Fipronil | 0.01 | 0.1 | ND | | Paclobutrazol | 0.01 | 0.03 | ND | |
| Chlorpyrifas | 0.01 | 0.04 | ND | | Ethoprophos (Prophos) | 0.01 | 0.02 | ND | |
| Baygon (Propoxur) | 0.01 | 0.02 | ND | | Chlordane | 0.04 | 0.1 | ND | |
| Chlorfenapyr | 0.03 | 0.1 | ND | | Methyl Parathion | 0.02 | 0.1 | ND | |
| Mevinphos | 0.03 | 0.08 | ND | | Abamectin | 0.03 | 0.08 | ND | |
| Acephate | 0.02 | 0.05 | ND | | Acetamiprid | 0.01 | 0.05 | ND | |
| Azoxystrobin | 0.01 | 0.02 | ND | | Bifenazote | 0.01 | 0.05 | ND | |
| Bifenthrin | 0.02 | 0.35 | ND | | Boscalid | 0.01 | 0.03 | ND | |
| Carbaryl | 0.01 | 0.02 | ND | | Chlorantranilprole | 0.01 | 0.04 | ND | |
| Clofentezine | 0.01 | 0.03 | ND | | Diazinon | 0.01 | 0.02 | ND | |
| Dimethomorph | 0.02 | 0.06 | ND | | Etoazole | 0.01 | 0.05 | ND | |
| Fenpyroximate | 0.02 | 0.1 | ND | | Flonicamid | 0.01 | 0.02 | ND | |
| Fludioxonil | 0.01 | 0.05 | ND | | Hexythiazox | 0.01 | 0.03 | ND | |
| Imidacloprid | 0.01 | 0.05 | ND | | Kresoxim-methyl | 0.01 | 0.03 | ND | |
| Malathion | 0.01 | 0.05 | ND | | Metaxalyl | 0.01 | 0.02 | ND | |
| Methomyl | 0.02 | 0.05 | ND | | Myclobutanil | 0.02 | 0.07 | ND | |
| Naled | 0.01 | 0.02 | ND | | Oxamyl | 0.01 | 0.02 | ND | |
| Permethrin | 0.01 | 0.02 | ND | | Phosmet | 0.01 | 0.02 | ND | |
| Piperonyl Butoxide | 0.02 | 0.06 | ND | | Propiconazole | 0.03 | 0.08 | ND | |
| Prallethrin | 0.02 | 0.05 | ND | | Pyrethrin | 0.05 | 0.41 | ND | |
| Pyridaben | 0.02 | 0.07 | ND | | Spinosad A | 0.01 | 0.05 | ND | |
| Spinosad D | 0.01 | 0.05 | ND | | Spiromesifen | 0.02 | 0.06 | ND | |
| Spirotetramat | 0.01 | 0.02 | ND | | Tebuconazole | 0.01 | 0.02 | ND | |
| Thiamethoxam | 0.01 | 0.02 | ND | | Trifloxystrobin | 0.01 | 0.02 | ND | |
| Acequinocyl | 0.02 | 0.09 | ND | | Captan | 0.01 | 0.02 | ND | |
| Cypermethrin | 0.02 | 0.1 | ND | | Cyfluthrin | 0.04 | 0.1 | ND | |
| Fenhexamid | 0.02 | 0.07 | ND | | Spinetoram J,L | 0.02 | 0.07 | ND | |
| Pentachloronitrobenzene | 0.01 | 0.1 | ND | | | | | | |

RES - Residual Solvents

Analyzed Oct 25, 2024 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|------------------------------|----------|----------|-------------|------------|
| Propane (Prop) | 0.044 | 0.4 | 67.6 | 5000 | Butane (But) | 0.02 | 0.4 | ND | 5000 |
| Methanol (Metha) | 1.176 | 3.92 | <LOQ | 3000 | Ethylene Oxide (EthOx) | 0.08 | 0.4 | ND | 1 |
| Pentane (Pen) | 0.024 | 0.4 | ND | 5000 | Ethanol (Ethan) | 0.048 | 0.4 | 50.9 | 5000 |
| Ethyl Ether (EthEt) | 0.036 | 0.4 | ND | 5000 | Acetone (Acet) | 0.044 | 0.4 | <LOQ | 5000 |
| Isopropanol (2-Pro) | 1.16 | 3.868 | <LOQ | 5000 | Acetonitrile (Acetonit) | 0.888 | 2.952 | <LOQ | 410 |
| Methylene Chloride (MetCh) | 0.04 | 0.4 | ND | 1 | Hexane (Hex) | 0.012 | 0.4 | ND | 290 |
| Ethyl Acetate (EthAc) | 0.032 | 0.4 | ND | 5000 | Chloroform (Clo) | 0.028 | 0.4 | ND | 1 |
| Benzene (Ben) | 0.012 | 0.4 | ND | 1 | 1-2-Dichloroethane (12-Dich) | 0.024 | 0.4 | ND | 1 |
| Heptane (Hep) | 0.012 | 0.4 | 68.9 | 5000 | Trichloroethylene (TriClEth) | 0.072 | 0.4 | ND | 1 |
| Toluene | 0.036 | 0.4 | ND | 890 | Xylenes (Xyl) | 0.012 | 0.4 | ND | 2170 |

FVI - Filth & Foreign Material Inspection

Analyzed Oct 25, 2024 | Instrument Microscope | Method SOP-010

| Analyte / Limit | Result | Analyte / Limit | Result |
|--|--------|--|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND | > 1/4 of the total sample area covered by mold | ND |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g | ND | > 1/4 of the total sample area covered by an imbedded foreign material | ND |

MICx - Microbial X

Analyzed Oct 31, 2024 | Instrument Plating | Method SOP-007

| Analyte | LOD CFU/G | LOQ CFU/G | Result CFU/G | Limit CFU/G |
|--------------------------------------|-----------|-----------|--------------|-------------|
| Total Yeast & Molds (TYM) | 1.0 | 1.0 | ND | |
| Listeria (LIS) | 1.0 | 1.0 | ND | |
| Gram Negative Bacteria (BTGN) | 1.0 | 1.0 | ND | |
| Total Viable Aerobic Bacteria (TVAB) | 1.0 | 1.0 | ND | |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:48 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.



Sample **White Out 3.5g - Crystal Dream (Hybrid)**

| | | | | | | | |
|------------|-------|------|----|--------------------------------|-------|------------|-------|
| Delta9 THC | 0.11% | THCa | ND | Total THC (THCa * 0.877 + THC) | 0.11% | Delta8 THC | 0.36% |
|------------|-------|------|----|--------------------------------|-------|------------|-------|

| | | | |
|-------------------|---|----------|--------------|
| Sample ID | SD241023-077 (101390) | Matrix | Concentrate |
| Tested for | Latro inc | | |
| Sampled | - | Received | Oct 23, 2024 |
| Analyses executed | RES, MIBIG, MICK, MTO, PES, HME, FVI, D9C | Reported | May 30, 2025 |

Laboratory note: COA Update : 5/30/25 - Corrected formatting
Summary D9C: The total Δ9-THC content in this sample is 0.11%. For the most accurate Δ9-THC concentration, refer to the GC MS/MS section of this COA. This sample was tested using HPLC and GC MS/MS. HPLC analysis can yield inconsistent results for Δ8-THC and Δ9-THC due to isomer interference: GC MS/MS was employed to avoid this issue. Please note, if THCa is present, the Δ9-THC level measured by GC MS/MS might be higher due to decarboxylation.

D9C - D9 Confirmation

Analyzed Oct 21, 2024 | Instrument GC MS/MS | Method SOP-041 D9C
The expanded Uncertainty of the D9 Confirmation analysis is approximately ±7.806% at the 95% Confidence Level

| Analyte | LOD ppb | LOQ ppb | Result % | Result mg/g |
|----------------------------------|------------|------------|-------------|----------------|
| Δ9-Tetrahydrocannabinol (Δ9-THC) | 1.462 | 4.432 | 0.11 | 1.10 |
| Total Cannabinoids Analyzed | - | - | 0.11 | 1.10 |

CANx - Cannabinoids

Analyzed May 30, 2025 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g | Sample photography |
|--|-------------|-------------|-------------|----------------|--------------------|
| 11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV) | 0.013 | 0.041 | ND | ND | |
| Cannabidiol (CBDO) | 0.006 | 0.02 | ND | ND | |
| Abnormal Cannabidiol (a-CBDO) | 0.013 | 0.038 | ND | ND | |
| (+/-)-9B-hydroxy-Hexahydrocannabinol (9b-HHC) | 0.015 | 0.045 | ND | ND | |
| 11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC) | 0.015 | 0.045 | ND | ND | |
| Cannabidiolic Acid (CBDA) | 0.033 | 0.16 | 0.49 | 4.89 | |
| Cannabigerol Acid (CBGA) | 0.033 | 0.16 | ND | ND | |
| Cannabigerol (CBG) | 0.048 | 0.16 | ND | ND | |
| Cannabidiol (CBD) | 0.069 | 0.229 | 3.64 | 36.36 | |
| 1(S)-Tetrahydrocannabinol (1(S)-H4-CBD) | 0.008 | 0.026 | ND | ND | |
| 1(R)-Tetrahydrocannabinol (1(R)-H4-CBD) | 0.016 | 0.049 | ND | ND | |
| Tetrahydrocannabivarin (THCV) | 0.049 | 0.162 | ND | ND | |
| Δ8-tetrahydrocannabivarin (Δ8-THCV) | 0.012 | 0.036 | ND | ND | |
| Cannabidiol (CBDH) | 0.014 | 0.042 | ND | ND | |
| Tetrahydrocannabutol (Δ9-THCB) | 0.01 | 0.029 | ND | ND | |
| Cannabinol (CBN) | 0.047 | 0.16 | ND | ND | |
| Cannabidiophorol (CBDP) | 0.016 | 0.049 | ND | ND | |
| exo-THC (exo-THC) | 0.016 | 0.8 | ND | ND | |
| Tetrahydrocannabinol (Δ9-THC) | 0.092 | 0.307 | D9C | D9C | |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.044 | 0.16 | 0.36 | 3.59 | |
| (6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10) | 0.015 | 0.8 | ND | ND | |
| Hexahydrocannabinol (S isomer) (9s-HHC) | 0.017 | 0.8 | 12.18 | 121.76 | |
| (6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10) | 0.007 | 0.8 | ND | ND | |
| Hexahydrocannabinol (R isomer) (9r-HHC) | 0.016 | 0.8 | 39.76 | 397.62 | |
| Tetrahydrocannabinolic Acid (THCA) | 0.117 | 0.389 | ND | ND | |
| Δ9-Tetrahydrocannabihexol (Δ9-THCH) | 0.02 | 0.061 | ND | ND | |
| Cannabinol Acetate (CBNO) | 0.009 | 0.027 | ND | ND | |
| Δ9-Tetrahydrocannabiphorol (Δ9-THCP) | 0.017 | 0.8 | 22.35 | 223.49 | |
| Δ8-Tetrahydrocannabiphorol (Δ8-THCP) | 0.041 | 0.8 | 0.71 | 7.14 | |
| Cannabicitran (CBT) | 0.005 | 0.16 | ND | ND | |
| Δ8-THC-O-acetate (Δ8-THCO) | 0.076 | 0.8 | ND | ND | |
| 9(S)-HHCP (s-HHCP) | 0.013 | 0.041 | ND | ND | |
| Δ9-THC-O-acetate (Δ9-THCO) | 0.066 | 0.8 | ND | ND | |
| 9(R)-HHCP (r-HHCP) | 0.015 | 0.045 | ND | ND | |
| 9(S)-HHC-O-acetate (s-HHCO) | 0.037 | 0.112 | ND | ND | |
| 9(R)-HHC-O-acetate (r-HHCO) | 0.031 | 0.093 | ND | ND | |
| 3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8) | 0.021 | 0.062 | ND | ND | |
| Total THC (THCa * 0.877 + Δ9THC) | | | D9C | D9C | |
| Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC) | | | 0.36 | 3.59 | |
| Total CBD (CBDA * 0.877 + CBD) | | | 4.06 | 40.65 | |
| Total CBG (CBGa * 0.877 + CBG) | | | ND | ND | |
| Total HHC (9r-HHC + 9s-HHC) | | | 51.94 | 519.38 | |
| Total Cannabinoids Analyzed | | | 79.42 | 794.25 | |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:56 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

HME - Heavy Metals

Analyzed Oct 27, 2024 | Instrument ICP/MSMS | Method SOP-005

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|--------------|----------|----------|-------------|------------|
| Arsenic (As) | 0.0009 | 0.0027 | 0.02 | 1.5 |
| Cadmium (Cd) | 0.0005 | 0.0015 | ND | 0.5 |
| Mercury (Hg) | 0.0058 | 0.0174 | 0.00 | 3 |
| Lead (Pb) | 0.0006 | 0.0018 | 0.04 | 0.5 |

MIBIG - Microbial

Analyzed Oct 31, 2024 | Instrument qPCR and/or Plating | Method SOP-007

| Analyte | LOD CFU/g | LOQ CFU/g | Result CFU/g | Limit CFU/g |
|--|-----------|-----------|--------------|-------------|
| Shiga toxin-producing Escherichia Coli | 1.0 | 1.0 | ND | |
| Salmonella spp. | 1.0 | 1.0 | ND | |
| Aspergillus fumigatus | 1.0 | 1.0 | ND | |
| Aspergillus flavus | 1.0 | 1.0 | ND | |
| Aspergillus niger | 1.0 | 1.0 | ND | |
| Aspergillus terreus | 1.0 | 1.0 | ND | |

MTO - Mycotoxin

Analyzed Oct 25, 2024 | Instrument LC/MSMS | Method SOP-004

| Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg | Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg |
|--------------|-----------|-----------|--------------|-------------|------------------|-----------|-----------|--------------|-------------|
| Ochratoxin A | 5.0 | 20.0 | ND | 20 | Aflatoxin B1 | 2.5 | 5.0 | ND | - |
| Aflatoxin B2 | 2.5 | 5.0 | ND | - | Aflatoxin G1 | 2.5 | 5.0 | ND | - |
| Aflatoxin G2 | 2.5 | 5.0 | ND | - | Total Aflatoxins | 10.0 | 20.0 | ND | 20 |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:56 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides

Analyzed Oct 30, 2024 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb | 0.01 | 0.02 | ND | | Carbofuran | 0.01 | 0.02 | ND | |
| Dimethoate | 0.01 | 0.02 | ND | | Etofenprox | 0.02 | 0.1 | ND | |
| Fenoxycarb | 0.01 | 0.02 | ND | | Thiachloprid | 0.01 | 0.02 | ND | |
| Daminozide | 0.01 | 0.03 | ND | | Dichlorvos | 0.02 | 0.07 | ND | |
| Imazalil | 0.02 | 0.07 | ND | | Methiocarb | 0.01 | 0.02 | ND | |
| Spiroxamine | 0.01 | 0.02 | ND | | Coumaphos | 0.01 | 0.02 | ND | |
| Fipronil | 0.01 | 0.1 | ND | | Paclobutrazol | 0.01 | 0.03 | ND | |
| Chlorpyrifos | 0.01 | 0.04 | ND | | Ethoprophos (Prophos) | 0.01 | 0.02 | ND | |
| Baygon (Propoxur) | 0.01 | 0.02 | ND | | Chlordane | 0.04 | 0.1 | ND | |
| Chlorfenapyr | 0.03 | 0.1 | ND | | Methyl Parathion | 0.02 | 0.1 | ND | |
| Mevinphos | 0.03 | 0.08 | ND | | Abamectin | 0.03 | 0.08 | ND | |
| Acephate | 0.02 | 0.05 | ND | | Acetamiprid | 0.01 | 0.05 | ND | |
| Azoxystrobin | 0.01 | 0.02 | ND | | Bifenazote | 0.01 | 0.05 | ND | |
| Bifenthrin | 0.02 | 0.35 | ND | | Boscalid | 0.01 | 0.03 | ND | |
| Carbaryl | 0.01 | 0.02 | ND | | Chlorantranilprole | 0.01 | 0.04 | ND | |
| Clofentezine | 0.01 | 0.03 | ND | | Diazinon | 0.01 | 0.02 | ND | |
| Dimethomorph | 0.02 | 0.06 | ND | | Etoazole | 0.01 | 0.05 | ND | |
| Fenpyroximate | 0.02 | 0.1 | ND | | Flonicamid | 0.01 | 0.02 | ND | |
| Fludioxonil | 0.01 | 0.05 | ND | | Hexythiazox | 0.01 | 0.03 | ND | |
| Imidacloprid | 0.01 | 0.05 | ND | | Kresoxim-methyl | 0.01 | 0.03 | ND | |
| Malathion | 0.01 | 0.05 | ND | | Metaxalyl | 0.01 | 0.02 | ND | |
| Methomyl | 0.02 | 0.05 | ND | | Myclobutanil | 0.02 | 0.07 | ND | |
| Naled | 0.01 | 0.02 | ND | | Oxamyl | 0.01 | 0.02 | ND | |
| Permethrin | 0.01 | 0.02 | ND | | Phosmet | 0.01 | 0.02 | ND | |
| Piperonyl Butoxide | 0.02 | 0.06 | ND | | Propiconazole | 0.03 | 0.08 | ND | |
| Prallethrin | 0.02 | 0.05 | ND | | Pyrethrin | 0.05 | 0.41 | ND | |
| Pyridaben | 0.02 | 0.07 | ND | | Spinosad A | 0.01 | 0.05 | ND | |
| Spinosad D | 0.01 | 0.05 | ND | | Spiromesifen | 0.02 | 0.06 | ND | |
| Spirotetramat | 0.01 | 0.02 | ND | | Tebuconazole | 0.01 | 0.02 | ND | |
| Thiamethoxam | 0.01 | 0.02 | ND | | Trifloxystrobin | 0.01 | 0.02 | ND | |
| Acequinocyl | 0.02 | 0.09 | ND | | Captan | 0.01 | 0.02 | ND | |
| Cypermethrin | 0.02 | 0.1 | ND | | Cyfluthrin | 0.04 | 0.1 | ND | |
| Fenhexamid | 0.02 | 0.07 | ND | | Spinetoram J,L | 0.02 | 0.07 | ND | |
| Pentachloronitrobenzene | 0.01 | 0.1 | ND | | | | | | |

RES - Residual Solvents

Analyzed Oct 25, 2024 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|------------------------------|----------|----------|-------------|------------|
| Propane (Prop) | 0.044 | 0.4 | 69.6 | 5000 | Butane (But) | 0.02 | 0.4 | ND | 5000 |
| Methanol (Metha) | 1.176 | 3.92 | <LOQ | 3000 | Ethylene Oxide (EthOx) | 0.08 | 0.4 | ND | 1 |
| Pentane (Pen) | 0.024 | 0.4 | ND | 5000 | Ethanol (Ethan) | 0.048 | 0.4 | 54.3 | 5000 |
| Ethyl Ether (EthEt) | 0.036 | 0.4 | ND | 5000 | Acetone (Acet) | 0.044 | 0.4 | <LOQ | 5000 |
| Isopropanol (2-Pro) | 1.16 | 3.868 | <LOQ | 5000 | Acetonitrile (Acetonit) | 0.888 | 2.952 | <LOQ | 410 |
| Methylene Chloride (MetCh) | 0.04 | 0.4 | ND | 1 | Hexane (Hex) | 0.012 | 0.4 | ND | 290 |
| Ethyl Acetate (EthAc) | 0.032 | 0.4 | ND | 5000 | Chloroform (Clo) | 0.028 | 0.4 | ND | 1 |
| Benzene (Ben) | 0.012 | 0.4 | ND | 1 | 1-2-Dichloroethane (12-Dich) | 0.024 | 0.4 | ND | 1 |
| Heptane (Hep) | 0.012 | 0.4 | 47.0 | 5000 | Trichloroethylene (TriClEth) | 0.072 | 0.4 | ND | 1 |
| Toluene | 0.036 | 0.4 | ND | 890 | Xylenes (Xyl) | 0.012 | 0.4 | ND | 2170 |

FVI - Filth & Foreign Material Inspection

Analyzed Oct 25, 2024 | Instrument Microscope | Method SOP-010

| Analyte / Limit | Result | Analyte / Limit | Result |
|--|--------|--|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND | > 1/4 of the total sample area covered by mold | ND |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g | ND | > 1/4 of the total sample area covered by an imbedded foreign material | ND |

MICx - Microbial X

Analyzed Oct 31, 2024 | Instrument Plating | Method SOP-007

| Analyte | LOD CFU/G | LOQ CFU/G | Result CFU/G | Limit CFU/G |
|--------------------------------------|-----------|-----------|--------------|-------------|
| Total Yeast & Molds (TYM) | 1.0 | 1.0 | ND | |
| Listeria (LIS) | 1.0 | 1.0 | ND | |
| Gram Negative Bacteria (BTGN) | 1.0 | 1.0 | ND | |
| Total Viable Aerobic Bacteria (TVAB) | 1.0 | 1.0 | ND | |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:56 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PharmLabs San Diego Certificate of Analysis



Sample White Out 3.5g - Frozen Berry (Indica)

| | | | | | | | |
|------------|-------|------|----|--------------------------------|-------|------------|-------|
| Delta9 THC | 0.11% | THCa | ND | Total THC (THCa * 0.877 + THC) | 0.11% | Delta8 THC | 0.33% |
|------------|-------|------|----|--------------------------------|-------|------------|-------|

| | | | |
|-------------------|---|----------|--------------|
| Sample ID | SD241023-080 (101393) | Matrix | Concentrate |
| Tested for | Latro inc | | |
| Sampled | - | Received | Oct 23, 2024 |
| Analyses executed | RES, MIBIG, MICK, MTO, PES, HME, FVI, D9C | Reported | May 30, 2025 |

Laboratory note: COA Update : 5/30/25 - Corrected formatting
Summary D9C: The total Δ9-THC content in this sample is 0.11%. For the most accurate Δ9-THC concentration, refer to the GC MS/MS section of this COA. This sample was tested using HPLC and GC MS/MS. HPLC analysis can yield inconsistent results for Δ8-THC and Δ9-THC due to isomer interference: GC MS/MS was employed to avoid this issue. Please note, if THCa is present, the Δ9-THC level measured by GC MS/MS might be higher due to decarboxylation.

D9C - D9 Confirmation

Analyzed Oct 21, 2024 | Instrument GC MS/MS | Method SOP-041 D9C
The expanded Uncertainty of the D9 Confirmation analysis is approximately ±7.806% at the 95% Confidence Level

| Analyte | LOD ppb | LOQ ppb | Result % | Result mg/g |
|----------------------------------|------------|------------|-------------|----------------|
| Δ9-Tetrahydrocannabinol (Δ9-THC) | 1.462 | 4.432 | 0.11 | 1.10 |
| Total Cannabinoids Analyzed | - | - | 0.11 | 1.10 |

CANx - Cannabinoids

Analyzed May 30, 2025 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g | Sample photography |
|--|-------------|-------------|-------------|----------------|--------------------|
| 11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV) | 0.013 | 0.041 | ND | ND | |
| Cannabidiol (CBDO) | 0.006 | 0.02 | ND | ND | |
| Abnormal Cannabidiol (a-CBDO) | 0.013 | 0.038 | ND | ND | |
| (+/-)-9B-hydroxy-Hexahydrocannabinol (9b-HHC) | 0.015 | 0.045 | ND | ND | |
| 11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC) | 0.015 | 0.045 | ND | ND | |
| Cannabidiolic Acid (CBDA) | 0.033 | 0.16 | 0.49 | 4.86 | |
| Cannabigerol Acid (CBGA) | 0.033 | 0.16 | ND | ND | |
| Cannabigerol (CBG) | 0.048 | 0.16 | ND | ND | |
| Cannabidiol (CBD) | 0.069 | 0.229 | 3.72 | 37.25 | |
| 1(S)-Tetrahydrocannabinol (1(S)-H4-CBD) | 0.008 | 0.026 | ND | ND | |
| 1(R)-Tetrahydrocannabinol (1(R)-H4-CBD) | 0.016 | 0.049 | ND | ND | |
| Tetrahydrocannabivarin (THCV) | 0.049 | 0.162 | ND | ND | |
| Δ8-tetrahydrocannabivarin (Δ8-THCV) | 0.012 | 0.036 | ND | ND | |
| Cannabidihexol (CBDH) | 0.014 | 0.042 | ND | ND | |
| Tetrahydrocannabutol (Δ9-THCB) | 0.01 | 0.029 | ND | ND | |
| Cannabinol (CBN) | 0.047 | 0.16 | ND | ND | |
| Cannabidiophorol (CBDP) | 0.016 | 0.049 | ND | ND | |
| exo-THC (exo-THC) | 0.016 | 0.8 | ND | ND | |
| Tetrahydrocannabinol (Δ9-THC) | 0.092 | 0.307 | D9C | D9C | |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.044 | 0.16 | 0.33 | 3.30 | |
| (6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10) | 0.015 | 0.8 | ND | ND | |
| Hexahydrocannabinol (S isomer) (9s-HHC) | 0.017 | 0.8 | 12.41 | 124.08 | |
| (6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10) | 0.007 | 0.8 | ND | ND | |
| Hexahydrocannabinol (R isomer) (9r-HHC) | 0.016 | 0.8 | 40.31 | 403.09 | |
| Tetrahydrocannabinolic Acid (THCA) | 0.117 | 0.389 | ND | ND | |
| Δ9-Tetrahydrocannabihexol (Δ9-THCH) | 0.02 | 0.061 | ND | ND | |
| Cannabinol Acetate (CBNO) | 0.009 | 0.027 | ND | ND | |
| Δ9-Tetrahydrocannabiphorol (Δ9-THCP) | 0.017 | 0.8 | 22.54 | 225.44 | |
| Δ8-Tetrahydrocannabiphorol (Δ8-THCP) | 0.041 | 0.8 | 0.69 | 6.93 | |
| Cannabicitran (CBT) | 0.005 | 0.16 | ND | ND | |
| Δ8-THC-O-acetate (Δ8-THCO) | 0.076 | 0.8 | ND | ND | |
| 9(S)-HHCP (s-HHCP) | 0.013 | 0.041 | ND | ND | |
| Δ9-THC-O-acetate (Δ9-THCO) | 0.066 | 0.8 | ND | ND | |
| 9(R)-HHCP (r-HHCP) | 0.015 | 0.045 | ND | ND | |
| 9(S)-HHC-O-acetate (s-HHCO) | 0.037 | 0.112 | ND | ND | |
| 9(R)-HHC-O-acetate (r-HHCO) | 0.031 | 0.093 | ND | ND | |
| 3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8) | 0.021 | 0.062 | ND | ND | |
| Total THC (THCa * 0.877 + Δ9THC) | | | D9C | D9C | |
| Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC) | | | 0.33 | 3.30 | |
| Total CBD (CBDA * 0.877 + CBD) | | | 4.15 | 41.51 | |
| Total CBG (CBGa * 0.877 + CBG) | | | ND | ND | |
| Total HHC (9r-HHC + 9s-HHC) | | | 52.72 | 527.17 | |
| Total Cannabinoids Analyzed | | | 80.44 | 804.35 | |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:44 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

HME - Heavy Metals

Analyzed Oct 27, 2024 | Instrument ICP/MSMS | Method SOP-005

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|--------------|----------|----------|-------------|------------|
| Arsenic (As) | 0.0009 | 0.0027 | 0.02 | 1.5 |
| Cadmium (Cd) | 0.0005 | 0.0015 | ND | 0.5 |
| Mercury (Hg) | 0.0058 | 0.0174 | ND | 3 |
| Lead (Pb) | 0.0006 | 0.0018 | ND | 0.5 |

MIBIG - Microbial

Analyzed Oct 31, 2024 | Instrument qPCR and/or Plating | Method SOP-007

| Analyte | LOD CFU/g | LOQ CFU/g | Result CFU/g | Limit CFU/g |
|--|-----------|-----------|--------------|-------------|
| Shiga toxin-producing Escherichia Coli | 1.0 | 1.0 | ND | |
| Salmonella spp. | 1.0 | 1.0 | ND | |
| Aspergillus fumigatus | 1.0 | 1.0 | ND | |
| Aspergillus flavus | 1.0 | 1.0 | ND | |
| Aspergillus niger | 1.0 | 1.0 | ND | |
| Aspergillus terreus | 1.0 | 1.0 | ND | |

MTO - Mycotoxin

Analyzed Oct 25, 2024 | Instrument LC/MSMS | Method SOP-004

| Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg | Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg |
|--------------|-----------|-----------|--------------|-------------|------------------|-----------|-----------|--------------|-------------|
| Ochratoxin A | 5.0 | 20.0 | ND | 20 | Aflatoxin B1 | 2.5 | 5.0 | ND | - |
| Aflatoxin B2 | 2.5 | 5.0 | ND | - | Aflatoxin G1 | 2.5 | 5.0 | ND | - |
| Aflatoxin G2 | 2.5 | 5.0 | ND | - | Total Aflatoxins | 10.0 | 20.0 | ND | 20 |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:44 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides

Analyzed Oct 30, 2024 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb | 0.01 | 0.02 | ND | | Carbofuran | 0.01 | 0.02 | ND | |
| Dimethoate | 0.01 | 0.02 | ND | | Etofenprox | 0.02 | 0.1 | ND | |
| Fenoxycarb | 0.01 | 0.02 | ND | | Thiachloprid | 0.01 | 0.02 | ND | |
| Daminozide | 0.01 | 0.03 | ND | | Dichlorvos | 0.02 | 0.07 | ND | |
| Imazalil | 0.02 | 0.07 | ND | | Methiocarb | 0.01 | 0.02 | ND | |
| Spiroxamine | 0.01 | 0.02 | ND | | Coumaphos | 0.01 | 0.02 | ND | |
| Fipronil | 0.01 | 0.1 | ND | | Paclobutrazol | 0.01 | 0.03 | ND | |
| Chlorpyrifas | 0.01 | 0.04 | ND | | Ethoprophos (Prophos) | 0.01 | 0.02 | ND | |
| Baygon (Propoxur) | 0.01 | 0.02 | ND | | Chlordane | 0.04 | 0.1 | ND | |
| Chlorfenapyr | 0.03 | 0.1 | ND | | Methyl Parathion | 0.02 | 0.1 | ND | |
| Mevinphos | 0.03 | 0.08 | ND | | Abamectin | 0.03 | 0.08 | ND | |
| Acephate | 0.02 | 0.05 | ND | | Acetamiprid | 0.01 | 0.05 | ND | |
| Azoxystrobin | 0.01 | 0.02 | ND | | Bifenazote | 0.01 | 0.05 | ND | |
| Bifenthrin | 0.02 | 0.35 | ND | | Boscalid | 0.01 | 0.03 | ND | |
| Carbaryl | 0.01 | 0.02 | ND | | Chlorantranilprole | 0.01 | 0.04 | ND | |
| Clofentezine | 0.01 | 0.03 | ND | | Diazinon | 0.01 | 0.02 | ND | |
| Dimethomorph | 0.02 | 0.06 | ND | | Etoazole | 0.01 | 0.05 | ND | |
| Fenpyroximate | 0.02 | 0.1 | ND | | Flonicamid | 0.01 | 0.02 | ND | |
| Fludioxonil | 0.01 | 0.05 | ND | | Hexythiazox | 0.01 | 0.03 | ND | |
| Imidacloprid | 0.01 | 0.05 | ND | | Kresoxim-methyl | 0.01 | 0.03 | ND | |
| Malathion | 0.01 | 0.05 | ND | | Metaxalyl | 0.01 | 0.02 | ND | |
| Methomyl | 0.02 | 0.05 | ND | | Myclobutanil | 0.02 | 0.07 | ND | |
| Naled | 0.01 | 0.02 | ND | | Oxamyl | 0.01 | 0.02 | ND | |
| Permethrin | 0.01 | 0.02 | ND | | Phosmet | 0.01 | 0.02 | ND | |
| Piperonyl Butoxide | 0.02 | 0.06 | ND | | Propiconazole | 0.03 | 0.08 | ND | |
| Prallethrin | 0.02 | 0.05 | ND | | Pyrethrin | 0.05 | 0.41 | ND | |
| Pyridaben | 0.02 | 0.07 | ND | | Spinosad A | 0.01 | 0.05 | ND | |
| Spinosad D | 0.01 | 0.05 | ND | | Spiromesifen | 0.02 | 0.06 | ND | |
| Spirotetramat | 0.01 | 0.02 | ND | | Tebuconazole | 0.01 | 0.02 | ND | |
| Thiamethoxam | 0.01 | 0.02 | ND | | Trifloxystrobin | 0.01 | 0.02 | ND | |
| Acequinocyl | 0.02 | 0.09 | ND | | Captan | 0.01 | 0.02 | ND | |
| Cypermethrin | 0.02 | 0.1 | ND | | Cyfluthrin | 0.04 | 0.1 | ND | |
| Fenhexamid | 0.02 | 0.07 | ND | | Spinetoram J,L | 0.02 | 0.07 | ND | |
| Pentachloronitrobenzene | 0.01 | 0.1 | ND | | | | | | |

RES - Residual Solvents

Analyzed Oct 25, 2024 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|------------------------------|----------|----------|-------------|------------|
| Propane (Prop) | 0.044 | 0.4 | 67.6 | 5000 | Butane (But) | 0.02 | 0.4 | ND | 5000 |
| Methanol (Metha) | 1.176 | 3.92 | <LOQ | 3000 | Ethylene Oxide (EthOx) | 0.08 | 0.4 | ND | 1 |
| Pentane (Pen) | 0.024 | 0.4 | ND | 5000 | Ethanol (Ethanol) | 0.048 | 0.4 | 54.2 | 5000 |
| Ethyl Ether (EthEt) | 0.036 | 0.4 | ND | 5000 | Acetone (Acet) | 0.044 | 0.4 | <LOQ | 5000 |
| Isopropanol (2-Pro) | 1.16 | 3.868 | <LOQ | 5000 | Acetonitrile (Acetonit) | 0.888 | 2.952 | <LOQ | 410 |
| Methylene Chloride (MetCh) | 0.04 | 0.4 | ND | 1 | Hexane (Hex) | 0.012 | 0.4 | ND | 290 |
| Ethyl Acetate (EthAc) | 0.032 | 0.4 | ND | 5000 | Chloroform (Clo) | 0.028 | 0.4 | ND | 1 |
| Benzene (Ben) | 0.012 | 0.4 | ND | 1 | 1-2-Dichloroethane (12-Dich) | 0.024 | 0.4 | ND | 1 |
| Heptane (Hep) | 0.012 | 0.4 | 44.7 | 5000 | Trichloroethylene (TriClEth) | 0.072 | 0.4 | ND | 1 |
| Toluene | 0.036 | 0.4 | ND | 890 | Xylenes (Xyl) | 0.012 | 0.4 | ND | 2170 |

FVI - Filth & Foreign Material Inspection

Analyzed Oct 25, 2024 | Instrument Microscope | Method SOP-010

| Analyte / Limit | Result | Analyte / Limit | Result |
|--|--------|--|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND | > 1/4 of the total sample area covered by mold | ND |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g | ND | > 1/4 of the total sample area covered by an imbedded foreign material | ND |

MICx - Microbial X

Analyzed Oct 31, 2024 | Instrument Plating | Method SOP-007

| Analyte | LOD CFU/G | LOQ CFU/G | Result CFU/G | Limit CFU/G |
|--------------------------------------|-----------|-----------|--------------|-------------|
| Total Yeast & Molds (TYM) | 1.0 | 1.0 | ND | |
| Listeria (LIS) | 1.0 | 1.0 | ND | |
| Gram Negative Bacteria (BTGN) | 1.0 | 1.0 | ND | |
| Total Viable Aerobic Bacteria (TVAB) | 1.0 | 1.0 | ND | |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:44 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.



Sample **White Out 3.5g - Snowman Slush (Indica)**

| | | | | | | | |
|------------|-------|------|----|--------------------------------|-------|------------|-------|
| Delta9 THC | 0.11% | THCa | ND | Total THC (THCa * 0.877 + THC) | 0.11% | Delta8 THC | 0.31% |
|------------|-------|------|----|--------------------------------|-------|------------|-------|

| | | | |
|-------------------|---|----------|--------------|
| Sample ID | SD241023-081 (101394) | Matrix | Concentrate |
| Tested for | Latro inc | | |
| Sampled | - | Received | Oct 23, 2024 |
| Analyses executed | RES, MIBIG, MICK, MTO, PES, HME, FVI, D9C | Reported | May 30, 2025 |

Laboratory note: COA Update : 5/30/25 - Corrected formatting
Summary D9C: The total Δ9-THC content in this sample is 0.11%. For the most accurate Δ9-THC concentration, refer to the GC MS/MS section of this COA. This sample was tested using HPLC and GC MS/MS. HPLC analysis can yield inconsistent results for Δ8-THC and Δ9-THC due to isomer interference: GC MS/MS was employed to avoid this issue. Please note, if THCa is present, the Δ9-THC level measured by GC MS/MS might be higher due to decarboxylation.

D9C - D9 Confirmation

Analyzed Oct 21, 2024 | Instrument GC MS/MS | Method SOP-041 D9C
The expanded Uncertainty of the D9 Confirmation analysis is approximately ±7.806% at the 95% Confidence Level

| Analyte | LOD ppb | LOQ ppb | Result % | Result mg/g |
|----------------------------------|------------|------------|-------------|----------------|
| Δ9-Tetrahydrocannabinol (Δ9-THC) | 1.462 | 4.432 | 0.11 | 1.10 |
| Total Cannabinoids Analyzed | - | - | 0.11 | 1.10 |

CANx - Cannabinoids

Analyzed May 30, 2025 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g | Sample photography |
|--|-------------|-------------|-------------|----------------|--------------------|
| 11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV) | 0.013 | 0.041 | ND | ND | |
| Cannabidiol (CBD) | 0.006 | 0.02 | ND | ND | |
| Abnormal Cannabidiol (a-CBD) | 0.013 | 0.038 | ND | ND | |
| (+/-)-9B-Hydroxy-Hexahydrocannabinol (9b-HHC) | 0.015 | 0.045 | ND | ND | |
| 11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC) | 0.015 | 0.045 | ND | ND | |
| Cannabidiolic Acid (CBDA) | 0.033 | 0.16 | 0.47 | 4.69 | |
| Cannabigerol Acid (CBGA) | 0.033 | 0.16 | ND | ND | |
| Cannabigerol (CBG) | 0.048 | 0.16 | ND | ND | |
| Cannabidiol (CBD) | 0.069 | 0.229 | 3.89 | 38.92 | |
| 1(S)-Tetrahydrocannabinol (1(S)-H4-CBD) | 0.008 | 0.026 | ND | ND | |
| 1(R)-Tetrahydrocannabinol (1(R)-H4-CBD) | 0.016 | 0.049 | ND | ND | |
| Tetrahydrocannabivarin (THCV) | 0.049 | 0.162 | ND | ND | |
| Δ8-tetrahydrocannabivarin (Δ8-THCV) | 0.012 | 0.036 | ND | ND | |
| Cannabidiol (CBDH) | 0.014 | 0.042 | ND | ND | |
| Tetrahydrocannabutol (Δ9-THCB) | 0.01 | 0.029 | ND | ND | |
| Cannabinol (CBN) | 0.047 | 0.16 | ND | ND | |
| Cannabidiophorol (CBDP) | 0.016 | 0.049 | ND | ND | |
| exo-THC (exo-THC) | 0.016 | 0.8 | ND | ND | |
| Tetrahydrocannabinol (Δ9-THC) | 0.092 | 0.307 | D9C | D9C | |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.044 | 0.16 | 0.31 | 3.09 | |
| (6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10) | 0.015 | 0.8 | ND | ND | |
| Hexahydrocannabinol (S isomer) (9s-HHC) | 0.017 | 0.8 | 11.52 | 115.25 | |
| (6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10) | 0.007 | 0.8 | ND | ND | |
| Hexahydrocannabinol (R isomer) (9r-HHC) | 0.016 | 0.8 | 38.12 | 381.25 | |
| Tetrahydrocannabinolic Acid (THCA) | 0.117 | 0.389 | ND | ND | |
| Δ9-Tetrahydrocannabihexol (Δ9-THCH) | 0.02 | 0.061 | ND | ND | |
| Cannabinol Acetate (CBNO) | 0.009 | 0.027 | ND | ND | |
| Δ9-Tetrahydrocannabiphorol (Δ9-THCP) | 0.017 | 0.8 | 21.93 | 219.28 | |
| Δ8-Tetrahydrocannabiphorol (Δ8-THCP) | 0.041 | 0.8 | 0.74 | 7.44 | |
| Cannabicitran (CBT) | 0.005 | 0.16 | ND | ND | |
| Δ8-THC-O-acetate (Δ8-THCO) | 0.076 | 0.8 | ND | ND | |
| 9(S)-HHCP (s-HHCP) | 0.013 | 0.041 | ND | ND | |
| Δ9-THC-O-acetate (Δ9-THCO) | 0.066 | 0.8 | ND | ND | |
| 9(R)-HHCP (r-HHCP) | 0.015 | 0.045 | ND | ND | |
| 9(S)-HHC-O-acetate (s-HHCO) | 0.037 | 0.112 | ND | ND | |
| 9(R)-HHC-O-acetate (r-HHCO) | 0.031 | 0.093 | ND | ND | |
| 3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8) | 0.021 | 0.062 | ND | ND | |
| Total THC (THCa * 0.877 + Δ9THC) | | | D9C | D9C | |
| Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC) | | | 0.31 | 3.09 | |
| Total CBD (CBDA * 0.877 + CBD) | | | 4.30 | 43.03 | |
| Total CBG (CBGa * 0.877 + CBG) | | | ND | ND | |
| Total HHC (9r-HHC + 9s-HHC) | | | 49.65 | 496.50 | |
| Total Cannabinoids Analyzed | | | 76.93 | 769.34 | |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:36 -0700



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

HME - Heavy Metals

Analyzed Oct 27, 2024 | Instrument ICP/MSMS | Method SOP-005

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|--------------|----------|----------|-------------|------------|
| Arsenic (As) | 0.0009 | 0.0027 | 0.02 | 1.5 |
| Cadmium (Cd) | 0.0005 | 0.0015 | 0.01 | 0.5 |
| Mercury (Hg) | 0.0058 | 0.0174 | 0.00 | 3 |
| Lead (Pb) | 0.0006 | 0.0018 | 0.01 | 0.5 |

MIBIG - Microbial

Analyzed Oct 31, 2024 | Instrument qPCR and/or Plating | Method SOP-007

| Analyte | LOD CFU/g | LOQ CFU/g | Result CFU/g | Limit CFU/g |
|--|-----------|-----------|--------------|-------------|
| Shiga toxin-producing Escherichia Coli | 1.0 | 1.0 | ND | |
| Salmonella spp. | 1.0 | 1.0 | ND | |
| Aspergillus fumigatus | 1.0 | 1.0 | ND | |
| Aspergillus flavus | 1.0 | 1.0 | ND | |
| Aspergillus niger | 1.0 | 1.0 | ND | |
| Aspergillus terreus | 1.0 | 1.0 | ND | |

MTO - Mycotoxin

Analyzed Oct 25, 2024 | Instrument LC/MSMS | Method SOP-004

| Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg | Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg |
|--------------|-----------|-----------|--------------|-------------|------------------|-----------|-----------|--------------|-------------|
| Ochratoxin A | 5.0 | 20.0 | ND | 20 | Aflatoxin B1 | 2.5 | 5.0 | ND | - |
| Aflatoxin B2 | 2.5 | 5.0 | ND | - | Aflatoxin G1 | 2.5 | 5.0 | ND | - |
| Aflatoxin G2 | 2.5 | 5.0 | ND | - | Total Aflatoxins | 10.0 | 20.0 | ND | 20 |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:36 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides

Analyzed Oct 30, 2024 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb | 0.01 | 0.02 | ND | | Carbofuran | 0.01 | 0.02 | ND | |
| Dimethoate | 0.01 | 0.02 | ND | | Etofenprox | 0.02 | 0.1 | ND | |
| Fenoxycarb | 0.01 | 0.02 | ND | | Thiachloprid | 0.01 | 0.02 | ND | |
| Daminozide | 0.01 | 0.03 | ND | | Dichlorvos | 0.02 | 0.07 | ND | |
| Imazalil | 0.02 | 0.07 | ND | | Methiocarb | 0.01 | 0.02 | ND | |
| Spiroxamine | 0.01 | 0.02 | ND | | Coumaphos | 0.01 | 0.02 | ND | |
| Fipronil | 0.01 | 0.1 | ND | | Paclobutrazol | 0.01 | 0.03 | ND | |
| Chlorpyrifas | 0.01 | 0.04 | ND | | Ethoprophos (Prophos) | 0.01 | 0.02 | ND | |
| Baygon (Propoxur) | 0.01 | 0.02 | ND | | Chlordane | 0.04 | 0.1 | ND | |
| Chlorfenapyr | 0.03 | 0.1 | ND | | Methyl Parathion | 0.02 | 0.1 | ND | |
| Mevinphos | 0.03 | 0.08 | ND | | Abamectin | 0.03 | 0.08 | ND | |
| Acephate | 0.02 | 0.05 | ND | | Acetamiprid | 0.01 | 0.05 | ND | |
| Azoxystrobin | 0.01 | 0.02 | ND | | Bifenazote | 0.01 | 0.05 | ND | |
| Bifenthrin | 0.02 | 0.35 | ND | | Boscalid | 0.01 | 0.03 | ND | |
| Carbaryl | 0.01 | 0.02 | ND | | Chlorantranilprole | 0.01 | 0.04 | ND | |
| Clofentezine | 0.01 | 0.03 | ND | | Diazinon | 0.01 | 0.02 | ND | |
| Dimethomorph | 0.02 | 0.06 | ND | | Etoazole | 0.01 | 0.05 | ND | |
| Fenpyroximate | 0.02 | 0.1 | ND | | Flonicamid | 0.01 | 0.02 | ND | |
| Fludioxonil | 0.01 | 0.05 | ND | | Hexythiazox | 0.01 | 0.03 | ND | |
| Imidacloprid | 0.01 | 0.05 | ND | | Kresoxim-methyl | 0.01 | 0.03 | ND | |
| Malathion | 0.01 | 0.05 | ND | | Metaxalyl | 0.01 | 0.02 | ND | |
| Methomyl | 0.02 | 0.05 | ND | | Myclobutanil | 0.02 | 0.07 | ND | |
| Naled | 0.01 | 0.02 | ND | | Oxamyl | 0.01 | 0.02 | ND | |
| Permethrin | 0.01 | 0.02 | ND | | Phosmet | 0.01 | 0.02 | ND | |
| Piperonyl Butoxide | 0.02 | 0.06 | ND | | Propiconazole | 0.03 | 0.08 | ND | |
| Prallethrin | 0.02 | 0.05 | ND | | Pyrethrin | 0.05 | 0.41 | ND | |
| Pyridaben | 0.02 | 0.07 | ND | | Spinosad A | 0.01 | 0.05 | ND | |
| Spinosad D | 0.01 | 0.05 | ND | | Spiromesifen | 0.02 | 0.06 | ND | |
| Spirotetramat | 0.01 | 0.02 | ND | | Tebuconazole | 0.01 | 0.02 | ND | |
| Thiamethoxam | 0.01 | 0.02 | ND | | Trifloxystrobin | 0.01 | 0.02 | ND | |
| Acequinocyl | 0.02 | 0.09 | ND | | Captan | 0.01 | 0.02 | ND | |
| Cypermethrin | 0.02 | 0.1 | ND | | Cyfluthrin | 0.04 | 0.1 | ND | |
| Fenhexamid | 0.02 | 0.07 | ND | | Spinetoram J,L | 0.02 | 0.07 | ND | |
| Pentachloronitrobenzene | 0.01 | 0.1 | ND | | | | | | |

RES - Residual Solvents

Analyzed Oct 25, 2024 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|------------------------------|----------|----------|-------------|------------|
| Propane (Prop) | 0.044 | 0.4 | 68.5 | 5000 | Butane (But) | 0.02 | 0.4 | ND | 5000 |
| Methanol (Metha) | 1.176 | 3.92 | <LOQ | 3000 | Ethylene Oxide (EthOx) | 0.08 | 0.4 | ND | 1 |
| Pentane (Pen) | 0.024 | 0.4 | ND | 5000 | Ethanol (Ethan) | 0.048 | 0.4 | 52.6 | 5000 |
| Ethyl Ether (EthEt) | 0.036 | 0.4 | ND | 5000 | Acetone (Acet) | 0.044 | 0.4 | <LOQ | 5000 |
| Isopropanol (2-Pro) | 1.16 | 3.868 | <LOQ | 5000 | Acetonitrile (Acetonit) | 0.888 | 2.952 | <LOQ | 410 |
| Methylene Chloride (MetCh) | 0.04 | 0.4 | ND | 1 | Hexane (Hex) | 0.012 | 0.4 | ND | 290 |
| Ethyl Acetate (EthAc) | 0.032 | 0.4 | ND | 5000 | Chloroform (Clo) | 0.028 | 0.4 | ND | 1 |
| Benzene (Ben) | 0.012 | 0.4 | ND | 1 | 1-2-Dichloroethane (12-Dich) | 0.024 | 0.4 | ND | 1 |
| Heptane (Hep) | 0.012 | 0.4 | 43.8 | 5000 | Trichloroethylene (TriClEth) | 0.072 | 0.4 | ND | 1 |
| Toluene | 0.036 | 0.4 | ND | 890 | Xylenes (Xyl) | 0.012 | 0.4 | ND | 2170 |

FVI - Filth & Foreign Material Inspection

Analyzed Oct 25, 2024 | Instrument Microscope | Method SOP-010

| Analyte / Limit | Result | Analyte / Limit | Result |
|--|--------|--|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND | > 1/4 of the total sample area covered by mold | ND |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g | ND | > 1/4 of the total sample area covered by an imbedded foreign material | ND |

MICx - Microbial X

Analyzed Oct 31, 2024 | Instrument Plating | Method SOP-007

| Analyte | LOD CFU/G | LOQ CFU/G | Result CFU/G | Limit CFU/G |
|--------------------------------------|-----------|-----------|--------------|-------------|
| Total Yeast & Molds (TYM) | 1.0 | 1.0 | ND | |
| Listeria (LIS) | 1.0 | 1.0 | ND | |
| Gram Negative Bacteria (BTGN) | 1.0 | 1.0 | ND | |
| Total Viable Aerobic Bacteria (TVAB) | 1.0 | 1.0 | ND | |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:36 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PharmLabs San Diego Certificate of Analysis



Sample White Out 3.5g - Snow Melon (Sativa)

| | | | | | | | |
|------------|-------|------|----|--------------------------------|-------|------------|-------|
| Delta9 THC | 0.10% | THCa | ND | Total THC (THCa * 0.877 + THC) | 0.10% | Delta8 THC | 0.41% |
|------------|-------|------|----|--------------------------------|-------|------------|-------|

| | | | |
|-------------------|---|----------|--------------|
| Sample ID | SD241023-079 (101392) | Matrix | Concentrate |
| Tested for | Latro inc | | |
| Sampled | - | Received | Oct 23, 2024 |
| Analyses executed | RES, MIBIG, MICK, MTO, PES, HME, FVI, D9C | Reported | May 30, 2025 |

Laboratory note: COA Update : 5/30/25 - Corrected formatting
Summary D9C: The total Δ9-THC content in this sample is 0.10%. For the most accurate Δ9-THC concentration, refer to the GC MS/MS section of this COA. This sample was tested using HPLC and GC MS/MS. HPLC analysis can yield inconsistent results for Δ8-THC and Δ9-THC due to isomer interference: GC MS/MS was employed to avoid this issue. Please note, if THCa is present, the Δ9-THC level measured by GC MS/MS might be higher due to decarboxylation.

D9C - D9 Confirmation

Analyzed Oct 21, 2024 | Instrument GC MS/MS | Method SOP-041 D9C
The expanded Uncertainty of the D9 Confirmation analysis is approximately ±7.806% at the 95% Confidence Level

| Analyte | LOD ppb | LOQ ppb | Result % | Result mg/g |
|----------------------------------|------------|------------|-------------|----------------|
| Δ9-Tetrahydrocannabinol (Δ9-THC) | 1.462 | 4.432 | 0.10 | 1.00 |
| Total Cannabinoids Analyzed | - | - | 0.10 | 1.00 |

CANx - Cannabinoids

Analyzed May 30, 2025 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g | Sample photography |
|--|-------------|-------------|-------------|----------------|--------------------|
| 11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV) | 0.013 | 0.041 | ND | ND | |
| Cannabidiol (CBDO) | 0.006 | 0.02 | ND | ND | |
| Abnormal Cannabidiol (a-CBDO) | 0.013 | 0.038 | ND | ND | |
| (+/-)-9B-hydroxy-Hexahydrocannabinol (9b-HHC) | 0.015 | 0.045 | ND | ND | |
| 11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC) | 0.015 | 0.045 | ND | ND | |
| Cannabidiolic Acid (CBDA) | 0.033 | 0.16 | 0.46 | 4.60 | |
| Cannabigerol Acid (CBGA) | 0.033 | 0.16 | ND | ND | |
| Cannabigerol (CBG) | 0.048 | 0.16 | ND | ND | |
| Cannabidiol (CBD) | 0.069 | 0.229 | 3.73 | 37.31 | |
| 1(S)-Tetrahydrocannabinol (1(S)-H4-CBD) | 0.008 | 0.026 | ND | ND | |
| 1(R)-Tetrahydrocannabinol (1(R)-H4-CBD) | 0.016 | 0.049 | ND | ND | |
| Tetrahydrocannabivarin (THCV) | 0.049 | 0.162 | ND | ND | |
| Δ8-tetrahydrocannabivarin (Δ8-THCV) | 0.012 | 0.036 | ND | ND | |
| Cannabidihexol (CBDH) | 0.014 | 0.042 | ND | ND | |
| Tetrahydrocannabutol (Δ9-THCB) | 0.01 | 0.029 | ND | ND | |
| Cannabinol (CBN) | 0.047 | 0.16 | ND | ND | |
| Cannabidiophorol (CBDP) | 0.016 | 0.049 | ND | ND | |
| exo-THC (exo-THC) | 0.016 | 0.8 | ND | ND | |
| Tetrahydrocannabinol (Δ9-THC) | 0.092 | 0.307 | D9C | D9C | |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.044 | 0.16 | 0.41 | 4.08 | |
| (6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10) | 0.015 | 0.8 | ND | ND | |
| Hexahydrocannabinol (S isomer) (9s-HHC) | 0.017 | 0.8 | 11.65 | 116.50 | |
| (6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10) | 0.007 | 0.8 | ND | ND | |
| Hexahydrocannabinol (R isomer) (9r-HHC) | 0.016 | 0.8 | 38.49 | 384.93 | |
| Tetrahydrocannabinolic Acid (THCA) | 0.117 | 0.389 | ND | ND | |
| Δ9-Tetrahydrocannabihexol (Δ9-THCH) | 0.02 | 0.061 | ND | ND | |
| Cannabinol Acetate (CBNO) | 0.009 | 0.027 | ND | ND | |
| Δ9-Tetrahydrocannabiphorol (Δ9-THCP) | 0.017 | 0.8 | 21.96 | 219.58 | |
| Δ8-Tetrahydrocannabiphorol (Δ8-THCP) | 0.041 | 0.8 | 0.74 | 7.38 | |
| Cannabicitran (CBT) | 0.005 | 0.16 | ND | ND | |
| Δ8-THC-O-acetate (Δ8-THCO) | 0.076 | 0.8 | ND | ND | |
| 9(S)-HHCP (s-HHCP) | 0.013 | 0.041 | ND | ND | |
| Δ9-THC-O-acetate (Δ9-THCO) | 0.066 | 0.8 | ND | ND | |
| 9(R)-HHCP (r-HHCP) | 0.015 | 0.045 | ND | ND | |
| 9(S)-HHC-O-acetate (s-HHCO) | 0.037 | 0.112 | ND | ND | |
| 9(R)-HHC-O-acetate (r-HHCO) | 0.031 | 0.093 | ND | ND | |
| 3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8) | 0.021 | 0.062 | ND | ND | |
| Total THC (THCa * 0.877 + Δ9THC) | | | D9C | D9C | |
| Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC) | | | 0.41 | 4.08 | |
| Total CBD (CBDA * 0.877 + CBD) | | | 4.13 | 41.34 | |
| Total CBG (CBGa * 0.877 + CBG) | | | ND | ND | |
| Total HHC (9r-HHC + 9s-HHC) | | | 50.14 | 501.43 | |
| Total Cannabinoids Analyzed | | | 77.38 | 773.81 | |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:40 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

HME - Heavy Metals

Analyzed Oct 27, 2024 | Instrument ICP/MSMS | Method SOP-005

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|--------------|----------|----------|-------------|------------|
| Arsenic (As) | 0.0009 | 0.0027 | 0.01 | 1.5 |
| Cadmium (Cd) | 0.0005 | 0.0015 | 0.00 | 0.5 |
| Mercury (Hg) | 0.0058 | 0.0174 | ND | 3 |
| Lead (Pb) | 0.0006 | 0.0018 | 0.09 | 0.5 |

MIBIG - Microbial

Analyzed Oct 31, 2024 | Instrument qPCR and/or Plating | Method SOP-007

| Analyte | LOD CFU/g | LOQ CFU/g | Result CFU/g | Limit CFU/g |
|--|-----------|-----------|--------------|-------------|
| Shiga toxin-producing Escherichia Coli | 1.0 | 1.0 | ND | |
| Salmonella spp. | 1.0 | 1.0 | ND | |
| Aspergillus fumigatus | 1.0 | 1.0 | ND | |
| Aspergillus flavus | 1.0 | 1.0 | ND | |
| Aspergillus niger | 1.0 | 1.0 | ND | |
| Aspergillus terreus | 1.0 | 1.0 | ND | |

MTO - Mycotoxin

Analyzed Oct 25, 2024 | Instrument LC/MSMS | Method SOP-004

| Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg | Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg |
|--------------|-----------|-----------|--------------|-------------|------------------|-----------|-----------|--------------|-------------|
| Ochratoxin A | 5.0 | 20.0 | ND | 20 | Aflatoxin B1 | 2.5 | 5.0 | ND | - |
| Aflatoxin B2 | 2.5 | 5.0 | ND | - | Aflatoxin G1 | 2.5 | 5.0 | ND | - |
| Aflatoxin G2 | 2.5 | 5.0 | ND | - | Total Aflatoxins | 10.0 | 20.0 | ND | 20 |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:40 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides

Analyzed Oct 30, 2024 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb | 0.01 | 0.02 | ND | | Carbofuran | 0.01 | 0.02 | ND | |
| Dimethoate | 0.01 | 0.02 | ND | | Etofenprox | 0.02 | 0.1 | ND | |
| Fenoxycarb | 0.01 | 0.02 | ND | | Thiachloprid | 0.01 | 0.02 | ND | |
| Daminozide | 0.01 | 0.03 | ND | | Dichlorvos | 0.02 | 0.07 | ND | |
| Imazalil | 0.02 | 0.07 | ND | | Methiocarb | 0.01 | 0.02 | ND | |
| Spiroxamine | 0.01 | 0.02 | ND | | Coumaphos | 0.01 | 0.02 | ND | |
| Fipronil | 0.01 | 0.1 | ND | | Paclobutrazol | 0.01 | 0.03 | ND | |
| Chlorpyrifas | 0.01 | 0.04 | ND | | Ethoprophos (Prophos) | 0.01 | 0.02 | ND | |
| Baygon (Propoxur) | 0.01 | 0.02 | ND | | Chlordane | 0.04 | 0.1 | ND | |
| Chlorfenapyr | 0.03 | 0.1 | ND | | Methyl Parathion | 0.02 | 0.1 | ND | |
| Mevinphos | 0.03 | 0.08 | ND | | Abamectin | 0.03 | 0.08 | ND | |
| Acephate | 0.02 | 0.05 | ND | | Acetamiprid | 0.01 | 0.05 | ND | |
| Azoxystrobin | 0.01 | 0.02 | ND | | Bifenazote | 0.01 | 0.05 | ND | |
| Bifenthrin | 0.02 | 0.35 | ND | | Boscalid | 0.01 | 0.03 | ND | |
| Carbaryl | 0.01 | 0.02 | ND | | Chlorantranilprole | 0.01 | 0.04 | ND | |
| Clofentezine | 0.01 | 0.03 | ND | | Diazinon | 0.01 | 0.02 | ND | |
| Dimethomorph | 0.02 | 0.06 | ND | | Etoazole | 0.01 | 0.05 | ND | |
| Fenpyroximate | 0.02 | 0.1 | ND | | Flonicamid | 0.01 | 0.02 | ND | |
| Fludioxonil | 0.01 | 0.05 | ND | | Hexythiazox | 0.01 | 0.03 | ND | |
| Imidacloprid | 0.01 | 0.05 | ND | | Kresoxim-methyl | 0.01 | 0.03 | ND | |
| Malathion | 0.01 | 0.05 | ND | | Metaxalyl | 0.01 | 0.02 | ND | |
| Methomyl | 0.02 | 0.05 | ND | | Myclobutanil | 0.02 | 0.07 | ND | |
| Naled | 0.01 | 0.02 | ND | | Oxamyl | 0.01 | 0.02 | ND | |
| Permethrin | 0.01 | 0.02 | ND | | Phosmet | 0.01 | 0.02 | ND | |
| Piperonyl Butoxide | 0.02 | 0.06 | ND | | Propiconazole | 0.03 | 0.08 | ND | |
| Prallethrin | 0.02 | 0.05 | ND | | Pyrethrin | 0.05 | 0.41 | ND | |
| Pyridaben | 0.02 | 0.07 | ND | | Spinosad A | 0.01 | 0.05 | ND | |
| Spinosad D | 0.01 | 0.05 | ND | | Spiromesifen | 0.02 | 0.06 | ND | |
| Spirotetramat | 0.01 | 0.02 | ND | | Tebuconazole | 0.01 | 0.02 | ND | |
| Thiamethoxam | 0.01 | 0.02 | ND | | Trifloxystrobin | 0.01 | 0.02 | ND | |
| Acequinocyl | 0.02 | 0.09 | ND | | Captan | 0.01 | 0.02 | ND | |
| Cypermethrin | 0.02 | 0.1 | ND | | Cyfluthrin | 0.04 | 0.1 | ND | |
| Fenhexamid | 0.02 | 0.07 | ND | | Spinetoram J,L | 0.02 | 0.07 | ND | |
| Pentachloronitrobenzene | 0.01 | 0.1 | ND | | | | | | |

RES - Residual Solvents

Analyzed Oct 25, 2024 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|------------------------------|----------|----------|-------------|------------|
| Propane (Prop) | 0.044 | 0.4 | 67.4 | 5000 | Butane (But) | 0.02 | 0.4 | ND | 5000 |
| Methanol (Metha) | 1.176 | 3.92 | <LOQ | 3000 | Ethylene Oxide (EthOx) | 0.08 | 0.4 | ND | 1 |
| Pentane (Pen) | 0.024 | 0.4 | ND | 5000 | Ethanol (Ethan) | 0.048 | 0.4 | 53.6 | 5000 |
| Ethyl Ether (EthEt) | 0.036 | 0.4 | ND | 5000 | Acetone (Acet) | 0.044 | 0.4 | <LOQ | 5000 |
| Isopropanol (2-Pro) | 1.16 | 3.868 | <LOQ | 5000 | Acetonitrile (Acetonit) | 0.888 | 2.952 | <LOQ | 410 |
| Methylene Chloride (MetCh) | 0.04 | 0.4 | ND | 1 | Hexane (Hex) | 0.012 | 0.4 | ND | 290 |
| Ethyl Acetate (EthAc) | 0.032 | 0.4 | ND | 5000 | Chloroform (Clo) | 0.028 | 0.4 | ND | 1 |
| Benzene (Ben) | 0.012 | 0.4 | ND | 1 | 1-2-Dichloroethane (12-Dich) | 0.024 | 0.4 | ND | 1 |
| Heptane (Hep) | 0.012 | 0.4 | 45.5 | 5000 | Trichloroethylene (TriClEth) | 0.072 | 0.4 | ND | 1 |
| Toluene | 0.036 | 0.4 | ND | 890 | Xylenes (Xyl) | 0.012 | 0.4 | ND | 2170 |

FVI - Filth & Foreign Material Inspection

Analyzed Oct 25, 2024 | Instrument Microscope | Method SOP-010

| Analyte / Limit | Result | Analyte / Limit | Result |
|--|--------|--|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND | > 1/4 of the total sample area covered by mold | ND |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g | ND | > 1/4 of the total sample area covered by an imbedded foreign material | ND |

MICx - Microbial X

Analyzed Oct 31, 2024 | Instrument Plating | Method SOP-007

| Analyte | LOD CFU/G | LOQ CFU/G | Result CFU/G | Limit CFU/G |
|--------------------------------------|-----------|-----------|--------------|-------------|
| Total Yeast & Molds (TYM) | 1.0 | 1.0 | ND | |
| Listeria (LIS) | 1.0 | 1.0 | ND | |
| Gram Negative Bacteria (BTGN) | 1.0 | 1.0 | ND | |
| Total Viable Aerobic Bacteria (TVAB) | 1.0 | 1.0 | ND | |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 30 May 2025 18:48:40 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.