

## HMP-EDB-WHG-011823

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3771**  
Strain: HMP-EDB-WHG-011823  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIZY HEMP**  
Lic. #  
., CA, 90001



### Summary

| Test                 | Date Tested | Instr. Method        | Result           |
|----------------------|-------------|----------------------|------------------|
| Batch                |             |                      | Pass             |
| Cannabinoids         | 01/31/2023  | LC-DAD               | Complete         |
| Water Activity       | 01/31/2023  | Water Activity Meter | 0.5521 aw - Pass |
| Pesticides           | 01/31/2023  | LC-MS                | Pass             |
| Mycotoxins           | 01/31/2023  | LC-MS                | Pass             |
| Residual Solvents    | 01/31/2023  | HS-GC-MS             | Pass             |
| Microbial Impurities | 02/01/2023  | qPCR                 | Pass             |
| Heavy Metals         | 02/01/2023  | ICP-MS               | Pass             |
| Foreign Matter       | 01/31/2023  | Visual Inspection    | Pass             |

### Cannabinoids

Method: SOP EL-CANNABINOIDS

**110.44 mg/unit**

Total THC

**99.48 mg/unit**

Total CBD

**294.70 mg/unit**

Total Cannabinoids

| Analytes                   | LOD   | LOQ   | Result       | Result      | Result         | Result        |
|----------------------------|-------|-------|--------------|-------------|----------------|---------------|
|                            | mg/g  | mg/g  | %            | mg/g        | mg/unit        | mg/serving    |
| THCa                       | 0.012 | 0.038 | ND           | ND          | ND             | ND            |
| Δ9-THC                     | 0.013 | 0.040 | 0.288        | 2.88        | 110.44         | 7.363         |
| Δ8-THC                     | 0.015 | 0.045 | 0.221        | 2.21        | 84.78          | 5.652         |
| THCVa                      | 0.014 | 0.043 | ND           | ND          | ND             | ND            |
| THCV                       | 0.015 | 0.045 | ND           | ND          | ND             | ND            |
| CBDa                       | 0.013 | 0.040 | ND           | ND          | ND             | ND            |
| CBD                        | 0.013 | 0.038 | 0.259        | 2.59        | 99.48          | 6.632         |
| CBN                        | 0.012 | 0.036 | ND           | ND          | ND             | ND            |
| CBGa                       | 0.014 | 0.043 | ND           | ND          | ND             | ND            |
| CBG                        | 0.013 | 0.040 | ND           | ND          | ND             | ND            |
| CBCa                       | 0.012 | 0.035 | ND           | ND          | ND             | ND            |
| CBC                        | 0.014 | 0.041 | ND           | ND          | ND             | ND            |
| <b>Total THC</b>           |       |       | <b>0.288</b> | <b>2.88</b> | <b>110.442</b> | <b>7.363</b>  |
| <b>Total CBD</b>           |       |       | <b>0.259</b> | <b>2.59</b> | <b>99.477</b>  | <b>6.632</b>  |
| <b>Total Cannabinoids</b>  |       |       | <b>0.767</b> | <b>7.67</b> | <b>294.703</b> | <b>19.647</b> |
| <b>Sum of Cannabinoids</b> |       |       | <b>0.767</b> | <b>7.67</b> | <b>294.704</b> | <b>19.647</b> |

1 Unit = 38.4g; 15 servings per container;

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms \* 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Kevin Nolan  
Laboratory Director | 02/03/2023



## HMP-EDB-WHG-011823

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3771**  
Strain: HMP-EDB-WHG-011823  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIIZY HEMP**  
  
Lic. #  
., CA, 90001

### Pesticides

Method: EL-PESTMYCOLCMS

| Analytes            | LOD   | LOQ  | Limit | Result | Status | Analytes           | LOD   | LOQ   | Limit | Result | Status |
|---------------------|-------|------|-------|--------|--------|--------------------|-------|-------|-------|--------|--------|
|                     | µg/g  | µg/g | µg/g  | µg/g   |        |                    | µg/g  | µg/g  | µg/g  | µg/g   |        |
| Abamectin           | 0.005 | 0.02 | 0.30  | ND     | Pass   | Fludioxonil        | 0.01  | 0.05  | 30.00 | ND     | Pass   |
| Acephate            | 0.002 | 0.01 | 5.00  | ND     | Pass   | Hexythiazox        | 0.005 | 0.02  | 2.00  | ND     | Pass   |
| Acequinocyl         | 0.01  | 0.02 | 4.00  | ND     | Pass   | Imazalil           | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Acetamiprid         | 0.005 | 0.02 | 5.00  | ND     | Pass   | Imidacloprid       | 0.005 | 0.02  | 3.00  | ND     | Pass   |
| Aldicarb            | 0.05  | 0.1  | 0.05  | ND     | Pass   | Kresoxim Methyl    | 0.005 | 0.02  | 1.00  | ND     | Pass   |
| Azoxystrobin        | 0.005 | 0.02 | 40.00 | ND     | Pass   | Malathion          | 0.02  | 0.05  | 5.00  | ND     | Pass   |
| Bifenazate          | 0.005 | 0.01 | 5.00  | ND     | Pass   | Metalaxyl          | 0.002 | 0.005 | 15.00 | ND     | Pass   |
| Bifenthrin          | 0.02  | 0.05 | 0.50  | ND     | Pass   | Methiocarb         | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Boscalid            | 0.02  | 0.05 | 10.00 | ND     | Pass   | Methomyl           | 0.01  | 0.02  | 0.10  | ND     | Pass   |
| Captan              | 0.2   | 0.3  | 5.00  | ND     | Pass   | Parathion Methyl   | 0.02  | 0.05  | 0.05  | ND     | Pass   |
| Carbaryl            | 0.02  | 0.05 | 0.50  | ND     | Pass   | Mevinphos          | 0.02  | 0.05  | 0.05  | ND     | Pass   |
| Carbofuran          | 0.05  | 0.1  | 0.05  | ND     | Pass   | Myclobutanil       | 0.005 | 0.01  | 9.00  | ND     | Pass   |
| Chlorantraniliprole | 0.002 | 0.01 | 40.00 | ND     | Pass   | Naled              | 0.01  | 0.02  | 0.50  | ND     | Pass   |
| Chlordane           | 0.05  | 0.1  | 0.05  | ND     | Pass   | Oxamyl             | 0.005 | 0.01  | 0.20  | ND     | Pass   |
| Chlorfenapyr        | 0.05  | 0.1  | 0.05  | ND     | Pass   | Paclobutrazol      | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Chlorpyrifos        | 0.05  | 0.1  | 0.05  | ND     | Pass   | PCNB               | 0.02  | 0.05  | 0.20  | ND     | Pass   |
| Clofentezine        | 0.01  | 0.02 | 0.50  | ND     | Pass   | Permethrin         | 0.02  | 0.05  | 20.00 | ND     | Pass   |
| Coumaphos           | 0.02  | 0.05 | 0.05  | ND     | Pass   | Phosmet            | 0.01  | 0.02  | 0.20  | ND     | Pass   |
| Cyfluthrin          | 0.05  | 0.1  | 1.00  | ND     | Pass   | Piperonyl Butoxide | 0.02  | 0.05  | 8.00  | ND     | Pass   |
| Cypermethrin        | 0.1   | 0.2  | 1.00  | ND     | Pass   | Prallethrin        | 0.005 | 0.02  | 0.40  | ND     | Pass   |
| Daminozide          | 0.02  | 0.05 | 0.05  | ND     | Pass   | Propiconazole      | 0.005 | 0.01  | 0.10  | ND     | Pass   |
| Diazinon            | 0.002 | 0.01 | 0.20  | ND     | Pass   | Propoxure          | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Dichlorvos          | 0.02  | 0.05 | 0.05  | ND     | Pass   | Pyrethrins         | 0.02  | 0.05  | 1.00  | ND     | Pass   |
| Dimethoate          | 0.02  | 0.05 | 0.05  | ND     | Pass   | Pyridaben          | 0.005 | 0.01  | 3.00  | ND     | Pass   |
| Dimethomorph        | 0.005 | 0.02 | 20.00 | ND     | Pass   | Spinetoram         | 0.005 | 0.01  | 3.00  | ND     | Pass   |
| Ethoprophos         | 0.05  | 0.1  | 0.05  | ND     | Pass   | Spinosad           | 0.005 | 0.01  | 3.00  | ND     | Pass   |
| Etofenprox          | 0.05  | 0.1  | 0.05  | ND     | Pass   | Spiromesifen       | 0.01  | 0.02  | 12.00 | ND     | Pass   |
| Etoazole            | 0.005 | 0.02 | 1.50  | ND     | Pass   | Spirotetramat      | 0.005 | 0.01  | 13.00 | ND     | Pass   |
| Fenhexamid          | 0.005 | 0.02 | 10.00 | ND     | Pass   | Spiroxamine        | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Fenoxycarb          | 0.05  | 0.1  | 0.05  | ND     | Pass   | Tebuconazole       | 0.005 | 0.01  | 2.00  | ND     | Pass   |
| Fenpyroximate       | 0.005 | 0.02 | 2.00  | ND     | Pass   | Thiacloprid        | 0.02  | 0.05  | 0.05  | ND     | Pass   |
| Fipronil            | 0.05  | 0.1  | 0.05  | ND     | Pass   | Thiamethoxam       | 0.005 | 0.01  | 4.50  | ND     | Pass   |
| Flonicamid          | 0.01  | 0.02 | 2.00  | ND     | Pass   | Trifloxystrobin    | 0.005 | 0.01  | 30.00 | ND     | Pass   |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



*Kevin Nolan*  
Laboratory Director | 02/03/2023



## HMP-EDB-WHG-011823

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3771**  
Strain: HMP-EDB-WHG-011823  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIIZY HEMP**  
Lic. #  
,,  
,, CA, 90001

### Mycotoxins

Method: EL-PESTMYCOLCMS

| Analytes         | LOD   | LOQ   | Limit | Result | Status |
|------------------|-------|-------|-------|--------|--------|
|                  | µg/kg | µg/kg | µg/kg | µg/kg  |        |
| Aflatoxin B1     | 1.00  | 2.00  |       | ND     | Tested |
| Aflatoxin B2     | 1.00  | 2.00  |       | ND     | Tested |
| Aflatoxin G1     | 2.00  | 4.00  |       | ND     | Tested |
| Aflatoxin G2     | 1.00  | 2.00  |       | ND     | Tested |
| Ochratoxin A     | 4.00  | 10.00 | 20.00 | ND     | Pass   |
| Total Aflatoxins |       |       | 20.00 | ND     | Pass   |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Residual Solvents

Method: EL-RES\_SOLVENTS

| Analytes            | LOD   | LOQ    | Limit | Result | Status |
|---------------------|-------|--------|-------|--------|--------|
|                     | µg/g  | µg/g   | µg/g  | µg/g   |        |
| Acetone             | 33.00 | 100.00 | 5000  | ND     | Pass   |
| Acetonitrile        | 10.00 | 30.00  | 410   | ND     | Pass   |
| Benzene             | 0.09  | 0.28   | 1     | ND     | Pass   |
| Butane              | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Chloroform          | 0.10  | 0.29   | 1     | ND     | Pass   |
| Ethanol             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Ethyl-Acetate       | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Ethyl-Ether         | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Ethylene Oxide      | 0.08  | 0.24   | 1     | ND     | Pass   |
| Heptane             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| n-Hexane            | 10.00 | 30.00  | 290   | ND     | Pass   |
| Isopropanol         | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Methanol            | 10.00 | 30.00  | 3000  | ND     | Pass   |
| Methylene-Chloride  | 0.10  | 0.31   | 1     | ND     | Pass   |
| 1,2-Dichloro-Ethane | 0.10  | 0.29   | 1     | ND     | Pass   |
| Pentane             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Propane             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Toluene             | 10.00 | 30.00  | 890   | ND     | Pass   |
| Xylenes             | 20.00 | 60.00  | 2170  | ND     | Pass   |
| Trichloroethene     | 0.10  | 0.29   | 1     | ND     | Pass   |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Microbial Impurities

Method: SOP EL-MICROBIALS

| Analytes                               | Result             | Status |
|----------------------------------------|--------------------|--------|
| Shiga toxin-producing Escherichia coli | Not Detected in 1g | Pass   |
| Salmonella spp                         | Not Detected in 1g | Pass   |

Date Tested: 02/01/2023



*Kevin Nolan*  
Kevin Nolan  
Laboratory Director | 02/03/2023



## HMP-EDB-WHG-011823

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3771**  
Strain: HMP-EDB-WHG-011823  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIIZY HEMP**  
Lic. #  
., CA, 90001

### Heavy Metals

Method: SOP EL-HEAVYMETALS

| Analytes | LOD   | LOQ   | Limit | Result | Status |
|----------|-------|-------|-------|--------|--------|
|          | µg/g  | µg/g  | µg/g  | µg/g   |        |
| Arsenic  | 0.012 | 0.036 | 1.500 | ND     | Pass   |
| Cadmium  | 0.015 | 0.044 | 0.500 | <LOQ   | Pass   |
| Lead     | 0.055 | 0.167 | 0.500 | ND     | Pass   |
| Mercury  | 0.005 | 0.015 | 3.000 | ND     | Pass   |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



*Kevin Nolan*

Kevin Nolan  
Laboratory Director | 02/03/2023



## HMP-EDB-WMW-012023

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3766**  
Strain: HMP-EDB-WMW-012023  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIZY HEMP**  
Lic. #  
., CA, 90001



### Summary

| Test                 | Date Tested | Instr. Method        | Result           |
|----------------------|-------------|----------------------|------------------|
| Batch                |             |                      | Pass             |
| Cannabinoids         | 01/31/2023  | LC-DAD               | Complete         |
| Water Activity       | 01/31/2023  | Water Activity Meter | 0.5745 aw - Pass |
| Pesticides           | 01/31/2023  | LC-MS                | Pass             |
| Mycotoxins           | 01/31/2023  | LC-MS                | Pass             |
| Residual Solvents    | 01/31/2023  | HS-GC-MS             | Pass             |
| Microbial Impurities | 02/01/2023  | qPCR                 | Pass             |
| Heavy Metals         | 02/01/2023  | ICP-MS               | Pass             |
| Foreign Matter       | 01/31/2023  | Visual Inspection    | Pass             |

### Cannabinoids

Method: SOP EL-CANNABINOIDS

**106.55 mg/unit**

Total THC

**94.92 mg/unit**

Total CBD

**283.32 mg/unit**

Total Cannabinoids

| Analytes                   | LOD   | LOQ   | Result       | Result      | Result         | Result        |
|----------------------------|-------|-------|--------------|-------------|----------------|---------------|
|                            | mg/g  | mg/g  | %            | mg/g        | mg/unit        | mg/serving    |
| THCa                       | 0.012 | 0.037 | ND           | ND          | ND             | ND            |
| Δ9-THC                     | 0.013 | 0.039 | 0.276        | 2.76        | 106.55         | 7.103         |
| Δ8-THC                     | 0.014 | 0.043 | 0.212        | 2.12        | 81.86          | 5.457         |
| THCVa                      | 0.014 | 0.042 | ND           | ND          | ND             | ND            |
| THCV                       | 0.014 | 0.044 | ND           | ND          | ND             | ND            |
| CBDa                       | 0.013 | 0.038 | ND           | ND          | ND             | ND            |
| CBD                        | 0.012 | 0.037 | 0.246        | 2.46        | 94.92          | 6.328         |
| CBN                        | 0.011 | 0.035 | ND           | ND          | ND             | ND            |
| CBGa                       | 0.014 | 0.042 | ND           | ND          | ND             | ND            |
| CBG                        | 0.013 | 0.038 | ND           | ND          | ND             | ND            |
| CBCa                       | 0.011 | 0.034 | ND           | ND          | ND             | ND            |
| CBC                        | 0.013 | 0.040 | ND           | ND          | ND             | ND            |
| <b>Total THC</b>           |       |       | <b>0.276</b> | <b>2.76</b> | <b>106.548</b> | <b>7.103</b>  |
| <b>Total CBD</b>           |       |       | <b>0.246</b> | <b>2.46</b> | <b>94.915</b>  | <b>6.328</b>  |
| <b>Total Cannabinoids</b>  |       |       | <b>0.734</b> | <b>7.34</b> | <b>283.324</b> | <b>18.888</b> |
| <b>Sum of Cannabinoids</b> |       |       | <b>0.734</b> | <b>7.34</b> | <b>283.324</b> | <b>18.888</b> |

1 Unit = 38.6g; 15 servings per container;

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms \* 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Kevin Nolan  
Laboratory Director | 02/03/2023



## HMP-EDB-WMW-012023

METRC Batch:  
METRC Sample:  
Sample ID: 2301ENC1166\_3766  
Strain: HMP-EDB-WMW-012023  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
STIIIZY HEMP  
Lic. #  
,,  
,, CA, 90001

## Pesticides

Method: EL-PESTMYCOLCMS

| Analytes            | LOD   | LOQ  | Limit | Result | Status | Analytes           | LOD   | LOQ   | Limit | Result | Status |
|---------------------|-------|------|-------|--------|--------|--------------------|-------|-------|-------|--------|--------|
|                     | µg/g  | µg/g | µg/g  | µg/g   |        |                    | µg/g  | µg/g  | µg/g  | µg/g   |        |
| Abamectin           | 0.005 | 0.02 | 0.30  | ND     | Pass   | Fludioxonil        | 0.01  | 0.05  | 30.00 | ND     | Pass   |
| Acephate            | 0.002 | 0.01 | 5.00  | ND     | Pass   | Hexythiazox        | 0.005 | 0.02  | 2.00  | ND     | Pass   |
| Acequinocyl         | 0.01  | 0.02 | 4.00  | ND     | Pass   | Imazalil           | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Acetamiprid         | 0.005 | 0.02 | 5.00  | ND     | Pass   | Imidacloprid       | 0.005 | 0.02  | 3.00  | ND     | Pass   |
| Aldicarb            | 0.05  | 0.1  | 0.05  | ND     | Pass   | Kresoxim Methyl    | 0.005 | 0.02  | 1.00  | ND     | Pass   |
| Azoxystrobin        | 0.005 | 0.02 | 40.00 | ND     | Pass   | Malathion          | 0.02  | 0.05  | 5.00  | ND     | Pass   |
| Bifenazate          | 0.005 | 0.01 | 5.00  | ND     | Pass   | Metalaxyl          | 0.002 | 0.005 | 15.00 | ND     | Pass   |
| Bifenthrin          | 0.02  | 0.05 | 0.50  | ND     | Pass   | Methiocarb         | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Boscalid            | 0.02  | 0.05 | 10.00 | ND     | Pass   | Methomyl           | 0.01  | 0.02  | 0.10  | ND     | Pass   |
| Captan              | 0.2   | 0.3  | 5.00  | ND     | Pass   | Parathion Methyl   | 0.02  | 0.05  | 0.05  | ND     | Pass   |
| Carbaryl            | 0.02  | 0.05 | 0.50  | ND     | Pass   | Mevinphos          | 0.02  | 0.05  | 0.05  | ND     | Pass   |
| Carbofuran          | 0.05  | 0.1  | 0.05  | ND     | Pass   | Myclobutanil       | 0.005 | 0.01  | 9.00  | ND     | Pass   |
| Chlorantraniliprole | 0.002 | 0.01 | 40.00 | ND     | Pass   | Naled              | 0.01  | 0.02  | 0.50  | ND     | Pass   |
| Chlordane           | 0.05  | 0.1  | 0.05  | ND     | Pass   | Oxamyl             | 0.005 | 0.01  | 0.20  | ND     | Pass   |
| Chlorfenapyr        | 0.05  | 0.1  | 0.05  | ND     | Pass   | Paclobutrazol      | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Chlorpyrifos        | 0.05  | 0.1  | 0.05  | ND     | Pass   | PCNB               | 0.02  | 0.05  | 0.20  | ND     | Pass   |
| Clofentezine        | 0.01  | 0.02 | 0.50  | ND     | Pass   | Permethrin         | 0.02  | 0.05  | 20.00 | ND     | Pass   |
| Coumaphos           | 0.02  | 0.05 | 0.05  | ND     | Pass   | Phosmet            | 0.01  | 0.02  | 0.20  | ND     | Pass   |
| Cyfluthrin          | 0.05  | 0.1  | 1.00  | ND     | Pass   | Piperonyl Butoxide | 0.02  | 0.05  | 8.00  | ND     | Pass   |
| Cypermethrin        | 0.1   | 0.2  | 1.00  | ND     | Pass   | Prallethrin        | 0.005 | 0.02  | 0.40  | ND     | Pass   |
| Daminozide          | 0.02  | 0.05 | 0.05  | ND     | Pass   | Propiconazole      | 0.005 | 0.01  | 0.10  | ND     | Pass   |
| Diazinon            | 0.002 | 0.01 | 0.20  | ND     | Pass   | Propoxure          | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Dichlorvos          | 0.02  | 0.05 | 0.05  | ND     | Pass   | Pyrethrins         | 0.02  | 0.05  | 1.00  | ND     | Pass   |
| Dimethoate          | 0.02  | 0.05 | 0.05  | ND     | Pass   | Pyridaben          | 0.005 | 0.01  | 3.00  | ND     | Pass   |
| Dimethomorph        | 0.005 | 0.02 | 20.00 | ND     | Pass   | Spinetoram         | 0.005 | 0.01  | 3.00  | ND     | Pass   |
| Ethoprophos         | 0.05  | 0.1  | 0.05  | ND     | Pass   | Spinosad           | 0.005 | 0.01  | 3.00  | ND     | Pass   |
| Etofenprox          | 0.05  | 0.1  | 0.05  | ND     | Pass   | Spiromesifen       | 0.01  | 0.02  | 12.00 | ND     | Pass   |
| Etoxazole           | 0.005 | 0.02 | 1.50  | ND     | Pass   | Spirotetramat      | 0.005 | 0.01  | 13.00 | ND     | Pass   |
| Fenhexamid          | 0.005 | 0.02 | 10.00 | ND     | Pass   | Spiroxamine        | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Fenoxycarb          | 0.05  | 0.1  | 0.05  | ND     | Pass   | Tebuconazole       | 0.005 | 0.01  | 2.00  | ND     | Pass   |
| Fenpyroximate       | 0.005 | 0.02 | 2.00  | ND     | Pass   | Thiacloprid        | 0.02  | 0.05  | 0.05  | ND     | Pass   |
| Fipronil            | 0.05  | 0.1  | 0.05  | ND     | Pass   | Thiamethoxam       | 0.005 | 0.01  | 4.50  | ND     | Pass   |
| Flonicamid          | 0.01  | 0.02 | 2.00  | ND     | Pass   | Trifloxystrobin    | 0.005 | 0.01  | 30.00 | ND     | Pass   |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan  
Laboratory Director | 02/03/2023



## HMP-EDB-WMW-012023

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3766**  
Strain: HMP-EDB-WMW-012023  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIIZY HEMP**  
Lic. #  
,, CA, 90001

## Mycotoxins

Method: EL-PESTMYCOLCMS

| Analytes         | LOD   | LOQ   | Limit | Result | Status |
|------------------|-------|-------|-------|--------|--------|
|                  | µg/kg | µg/kg | µg/kg | µg/kg  |        |
| Aflatoxin B1     | 1.00  | 2.00  |       | ND     | Tested |
| Aflatoxin B2     | 1.00  | 2.00  |       | ND     | Tested |
| Aflatoxin G1     | 2.00  | 4.00  |       | ND     | Tested |
| Aflatoxin G2     | 1.00  | 2.00  |       | ND     | Tested |
| Ochratoxin A     | 4.00  | 10.00 | 20.00 | ND     | Pass   |
| Total Aflatoxins |       |       | 20.00 | ND     | Pass   |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

## Residual Solvents

Method: EL-RES\_SOLVENTS

| Analytes            | LOD   | LOQ    | Limit | Result | Status |
|---------------------|-------|--------|-------|--------|--------|
|                     | µg/g  | µg/g   | µg/g  | µg/g   |        |
| Acetone             | 33.00 | 100.00 | 5000  | ND     | Pass   |
| Acetonitrile        | 10.00 | 30.00  | 410   | ND     | Pass   |
| Benzene             | 0.09  | 0.28   | 1     | ND     | Pass   |
| Butane              | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Chloroform          | 0.10  | 0.29   | 1     | ND     | Pass   |
| Ethanol             | 10.00 | 30.00  | 5000  | 125.56 | Pass   |
| Ethyl-Acetate       | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Ethyl-Ether         | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Ethylene Oxide      | 0.08  | 0.24   | 1     | ND     | Pass   |
| Heptane             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| n-Hexane            | 10.00 | 30.00  | 290   | ND     | Pass   |
| Isopropanol         | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Methanol            | 10.00 | 30.00  | 3000  | ND     | Pass   |
| Methylene-Chloride  | 0.10  | 0.31   | 1     | ND     | Pass   |
| 1,2-Dichloro-Ethane | 0.10  | 0.29   | 1     | ND     | Pass   |
| Pentane             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Propane             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Toluene             | 10.00 | 30.00  | 890   | ND     | Pass   |
| Xylenes             | 20.00 | 60.00  | 2170  | ND     | Pass   |
| Trichloroethene     | 0.10  | 0.29   | 1     | ND     | Pass   |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

## Microbial Impurities

Method: SOP EL-MICROBIALS

| Analytes                               | Result             | Status |
|----------------------------------------|--------------------|--------|
| Shiga toxin-producing Escherichia coli | Not Detected in 1g | Pass   |
| Salmonella spp                         | Not Detected in 1g | Pass   |

Date Tested: 02/01/2023



*Kevin Nolan*  
Kevin Nolan  
Laboratory Director | 02/03/2023



## HMP-EDB-WMW-012023

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3766**  
Strain: HMP-EDB-WMW-012023  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIIZY HEMP**  
Lic. #  
., CA, 90001

### Heavy Metals

Method: SOP EL-HEAVYMETALS

| Analytes | LOD   | LOQ   | Limit | Result | Status |
|----------|-------|-------|-------|--------|--------|
|          | µg/g  | µg/g  | µg/g  | µg/g   |        |
| Arsenic  | 0.012 | 0.036 | 1.500 | ND     | Pass   |
| Cadmium  | 0.015 | 0.044 | 0.500 | ND     | Pass   |
| Lead     | 0.055 | 0.167 | 0.500 | ND     | Pass   |
| Mercury  | 0.005 | 0.015 | 3.000 | ND     | Pass   |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



*Kevin Nolan*

Kevin Nolan  
Laboratory Director | 02/03/2023



## HMP-EDB-SAP-012323

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3761**  
Strain: HMP-EDB-SAP-012323  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIZY HEMP**  
Lic. #  
., CA, 90001



## Summary

| Test                 | Date Tested | Instr. Method        | Result           |
|----------------------|-------------|----------------------|------------------|
| Batch                |             |                      | Pass             |
| Cannabinoids         | 01/31/2023  | LC-DAD               | Complete         |
| Water Activity       | 01/31/2023  | Water Activity Meter | 0.5621 aw - Pass |
| Pesticides           | 01/31/2023  | LC-MS                | Pass             |
| Mycotoxins           | 01/31/2023  | LC-MS                | Pass             |
| Residual Solvents    | 01/31/2023  | HS-GC-MS             | Pass             |
| Microbial Impurities | 02/01/2023  | qPCR                 | Pass             |
| Heavy Metals         | 02/01/2023  | ICP-MS               | Pass             |
| Foreign Matter       | 01/31/2023  | Visual Inspection    | Pass             |

## Cannabinoids

Method: SOP EL-CANNABINOIDS

**109.71 mg/unit**

Total THC

**98.98 mg/unit**

Total CBD

**288.87 mg/unit**

Total Cannabinoids

| Analytes                   | LOD   | LOQ   | Result       | Result      | Result         | Result        |
|----------------------------|-------|-------|--------------|-------------|----------------|---------------|
|                            | mg/g  | mg/g  | %            | mg/g        | mg/unit        | mg/serving    |
| THCa                       | 0.013 | 0.038 | ND           | ND          | ND             | ND            |
| Δ9-THC                     | 0.013 | 0.041 | 0.285        | 2.85        | 109.71         | 7.314         |
| Δ8-THC                     | 0.015 | 0.045 | 0.208        | 2.08        | 80.18          | 5.345         |
| THCVa                      | 0.015 | 0.044 | ND           | ND          | ND             | ND            |
| THCV                       | 0.015 | 0.046 | ND           | ND          | ND             | ND            |
| CBDa                       | 0.013 | 0.040 | ND           | ND          | ND             | ND            |
| CBD                        | 0.013 | 0.039 | 0.257        | 2.57        | 98.98          | 6.599         |
| CBN                        | 0.012 | 0.036 | ND           | ND          | ND             | ND            |
| CBGa                       | 0.014 | 0.043 | ND           | ND          | ND             | ND            |
| CBG                        | 0.013 | 0.040 | ND           | ND          | ND             | ND            |
| CBCa                       | 0.012 | 0.035 | ND           | ND          | ND             | ND            |
| CBC                        | 0.014 | 0.042 | ND           | ND          | ND             | ND            |
| <b>Total THC</b>           |       |       | <b>0.285</b> | <b>2.85</b> | <b>109.706</b> | <b>7.314</b>  |
| <b>Total CBD</b>           |       |       | <b>0.257</b> | <b>2.57</b> | <b>98.981</b>  | <b>6.599</b>  |
| <b>Total Cannabinoids</b>  |       |       | <b>0.750</b> | <b>7.50</b> | <b>288.866</b> | <b>19.258</b> |
| <b>Sum of Cannabinoids</b> |       |       | <b>0.750</b> | <b>7.50</b> | <b>288.866</b> | <b>19.258</b> |

1 Unit = 38.5g; 15 servings per container;

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms \* 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Kevin Nolan  
Laboratory Director | 02/03/2023



## HMP-EDB-SAP-012323

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3761**  
Strain: HMP-EDB-SAP-012323  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIIZY HEMP**  
  
Lic. #  
., CA, 90001

### Pesticides

Method: EL-PESTMYCOLCMS

| Analytes            | LOD   | LOQ  | Limit | Result | Status | Analytes           | LOD   | LOQ   | Limit | Result | Status |
|---------------------|-------|------|-------|--------|--------|--------------------|-------|-------|-------|--------|--------|
|                     | µg/g  | µg/g | µg/g  | µg/g   |        |                    | µg/g  | µg/g  | µg/g  | µg/g   |        |
| Abamectin           | 0.005 | 0.02 | 0.30  | ND     | Pass   | Fludioxonil        | 0.01  | 0.05  | 30.00 | ND     | Pass   |
| Acephate            | 0.002 | 0.01 | 5.00  | ND     | Pass   | Hexythiazox        | 0.005 | 0.02  | 2.00  | ND     | Pass   |
| Acequinocyl         | 0.01  | 0.02 | 4.00  | ND     | Pass   | Imazalil           | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Acetamiprid         | 0.005 | 0.02 | 5.00  | ND     | Pass   | Imidacloprid       | 0.005 | 0.02  | 3.00  | ND     | Pass   |
| Aldicarb            | 0.05  | 0.1  | 0.05  | ND     | Pass   | Kresoxim Methyl    | 0.005 | 0.02  | 1.00  | ND     | Pass   |
| Azoxystrobin        | 0.005 | 0.02 | 40.00 | ND     | Pass   | Malathion          | 0.02  | 0.05  | 5.00  | ND     | Pass   |
| Bifenazate          | 0.005 | 0.01 | 5.00  | ND     | Pass   | Metalaxyl          | 0.002 | 0.005 | 15.00 | ND     | Pass   |
| Bifenthrin          | 0.02  | 0.05 | 0.50  | ND     | Pass   | Methiocarb         | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Boscalid            | 0.02  | 0.05 | 10.00 | ND     | Pass   | Methomyl           | 0.01  | 0.02  | 0.10  | ND     | Pass   |
| Captan              | 0.2   | 0.3  | 5.00  | ND     | Pass   | Parathion Methyl   | 0.02  | 0.05  | 0.05  | ND     | Pass   |
| Carbaryl            | 0.02  | 0.05 | 0.50  | ND     | Pass   | Mevinphos          | 0.02  | 0.05  | 0.05  | ND     | Pass   |
| Carbofuran          | 0.05  | 0.1  | 0.05  | ND     | Pass   | Myclobutanil       | 0.005 | 0.01  | 9.00  | ND     | Pass   |
| Chlorantraniliprole | 0.002 | 0.01 | 40.00 | ND     | Pass   | Naled              | 0.01  | 0.02  | 0.50  | ND     | Pass   |
| Chlordane           | 0.05  | 0.1  | 0.05  | ND     | Pass   | Oxamyl             | 0.005 | 0.01  | 0.20  | ND     | Pass   |
| Chlorfenapyr        | 0.05  | 0.1  | 0.05  | ND     | Pass   | Paclobutrazol      | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Chlorpyrifos        | 0.05  | 0.1  | 0.05  | ND     | Pass   | PCNB               | 0.02  | 0.05  | 0.20  | ND     | Pass   |
| Clofentezine        | 0.01  | 0.02 | 0.50  | ND     | Pass   | Permethrin         | 0.02  | 0.05  | 20.00 | ND     | Pass   |
| Coumaphos           | 0.02  | 0.05 | 0.05  | ND     | Pass   | Phosmet            | 0.01  | 0.02  | 0.20  | ND     | Pass   |
| Cyfluthrin          | 0.05  | 0.1  | 1.00  | ND     | Pass   | Piperonyl Butoxide | 0.02  | 0.05  | 8.00  | ND     | Pass   |
| Cypermethrin        | 0.1   | 0.2  | 1.00  | ND     | Pass   | Prallethrin        | 0.005 | 0.02  | 0.40  | ND     | Pass   |
| Daminozide          | 0.02  | 0.05 | 0.05  | ND     | Pass   | Propiconazole      | 0.005 | 0.01  | 0.10  | ND     | Pass   |
| Diazinon            | 0.002 | 0.01 | 0.20  | ND     | Pass   | Propoxure          | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Dichlorvos          | 0.02  | 0.05 | 0.05  | ND     | Pass   | Pyrethrins         | 0.02  | 0.05  | 1.00  | ND     | Pass   |
| Dimethoate          | 0.02  | 0.05 | 0.05  | ND     | Pass   | Pyridaben          | 0.005 | 0.01  | 3.00  | ND     | Pass   |
| Dimethomorph        | 0.005 | 0.02 | 20.00 | ND     | Pass   | Spinetoram         | 0.005 | 0.01  | 3.00  | ND     | Pass   |
| Ethoprophos         | 0.05  | 0.1  | 0.05  | ND     | Pass   | Spinosad           | 0.005 | 0.01  | 3.00  | ND     | Pass   |
| Etofenprox          | 0.05  | 0.1  | 0.05  | ND     | Pass   | Spiromesifen       | 0.01  | 0.02  | 12.00 | ND     | Pass   |
| Etoxazole           | 0.005 | 0.02 | 1.50  | ND     | Pass   | Spirotetramat      | 0.005 | 0.01  | 13.00 | ND     | Pass   |
| Fenhexamid          | 0.005 | 0.02 | 10.00 | ND     | Pass   | Spiroxamine        | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Fenoxycarb          | 0.05  | 0.1  | 0.05  | ND     | Pass   | Tebuconazole       | 0.005 | 0.01  | 2.00  | ND     | Pass   |
| Fenpyroximate       | 0.005 | 0.02 | 2.00  | ND     | Pass   | Thiacloprid        | 0.02  | 0.05  | 0.05  | ND     | Pass   |
| Fipronil            | 0.05  | 0.1  | 0.05  | ND     | Pass   | Thiamethoxam       | 0.005 | 0.01  | 4.50  | ND     | Pass   |
| Flonicamid          | 0.01  | 0.02 | 2.00  | ND     | Pass   | Trifloxystrobin    | 0.005 | 0.01  | 30.00 | ND     | Pass   |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



*Kevin Nolan*  
Laboratory Director | 02/03/2023



## HMP-EDB-SAP-012323

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3761**  
Strain: HMP-EDB-SAP-012323  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIIZY HEMP**  
  
Lic. #  
., CA, 90001

### Mycotoxins

Method: EL-PESTMYCOLCMS

| Analytes         | LOD   | LOQ   | Limit | Result | Status |
|------------------|-------|-------|-------|--------|--------|
|                  | µg/kg | µg/kg | µg/kg | µg/kg  |        |
| Aflatoxin B1     | 1.00  | 2.00  |       | ND     | Tested |
| Aflatoxin B2     | 1.00  | 2.00  |       | ND     | Tested |
| Aflatoxin G1     | 2.00  | 4.00  |       | ND     | Tested |
| Aflatoxin G2     | 1.00  | 2.00  |       | ND     | Tested |
| Ochratoxin A     | 4.00  | 10.00 | 20.00 | ND     | Pass   |
| Total Aflatoxins |       |       | 20.00 | ND     | Pass   |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Residual Solvents

Method: EL-RES\_SOLVENTS

| Analytes            | LOD   | LOQ    | Limit | Result | Status |
|---------------------|-------|--------|-------|--------|--------|
|                     | µg/g  | µg/g   | µg/g  | µg/g   |        |
| Acetone             | 33.00 | 100.00 | 5000  | ND     | Pass   |
| Acetonitrile        | 10.00 | 30.00  | 410   | ND     | Pass   |
| Benzene             | 0.09  | 0.28   | 1     | ND     | Pass   |
| Butane              | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Chloroform          | 0.10  | 0.29   | 1     | ND     | Pass   |
| Ethanol             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Ethyl-Acetate       | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Ethyl-Ether         | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Ethylene Oxide      | 0.08  | 0.24   | 1     | ND     | Pass   |
| Heptane             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| n-Hexane            | 10.00 | 30.00  | 290   | ND     | Pass   |
| Isopropanol         | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Methanol            | 10.00 | 30.00  | 3000  | <LOQ   | Pass   |
| Methylene-Chloride  | 0.10  | 0.31   | 1     | ND     | Pass   |
| 1,2-Dichloro-Ethane | 0.10  | 0.29   | 1     | ND     | Pass   |
| Pentane             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Propane             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Toluene             | 10.00 | 30.00  | 890   | ND     | Pass   |
| Xylenes             | 20.00 | 60.00  | 2170  | ND     | Pass   |
| Trichloroethene     | 0.10  | 0.29   | 1     | ND     | Pass   |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Microbial Impurities

Method: SOP EL-MICROBIALS

| Analytes                               | Result             | Status |
|----------------------------------------|--------------------|--------|
| Shiga toxin-producing Escherichia coli | Not Detected in 1g | Pass   |
| Salmonella spp                         | Not Detected in 1g | Pass   |

Date Tested: 02/01/2023



*Kevin Nolan*  
Laboratory Director | 02/03/2023



## HMP-EDB-SAP-012323

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3761**  
Strain: HMP-EDB-SAP-012323  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIIZY HEMP**  
  
Lic. #  
., CA, 90001

### Heavy Metals

Method: SOP EL-HEAVYMETALS

| Analytes | LOD   | LOQ   | Limit | Result | Status |
|----------|-------|-------|-------|--------|--------|
|          | µg/g  | µg/g  | µg/g  | µg/g   |        |
| Arsenic  | 0.012 | 0.036 | 1.500 | ND     | Pass   |
| Cadmium  | 0.015 | 0.044 | 0.500 | ND     | Pass   |
| Lead     | 0.055 | 0.167 | 0.500 | ND     | Pass   |
| Mercury  | 0.005 | 0.015 | 3.000 | ND     | Pass   |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



*Kevin Nolan*

Kevin Nolan  
Laboratory Director | 02/03/2023



## HMP-EDB-BBB-012023

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3770**  
Strain: HMP-EDB-BBB-012023  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIZY HEMP**  
Lic. #  
., CA, 90001



### Summary

| Test                 | Date Tested | Instr. Method        | Result           |
|----------------------|-------------|----------------------|------------------|
| Batch                |             |                      | Pass             |
| Cannabinoids         | 01/31/2023  | LC-DAD               | Complete         |
| Water Activity       | 01/31/2023  | Water Activity Meter | 0.5530 aw - Pass |
| Pesticides           | 01/31/2023  | LC-MS                | Pass             |
| Mycotoxins           | 01/31/2023  | LC-MS                | Pass             |
| Residual Solvents    | 01/31/2023  | HS-GC-MS             | Pass             |
| Microbial Impurities | 02/01/2023  | qPCR                 | Pass             |
| Heavy Metals         | 02/01/2023  | ICP-MS               | Pass             |
| Foreign Matter       | 01/31/2023  | Visual Inspection    | Pass             |

### Cannabinoids

Method: SOP EL-CANNABINOIDS

**94.85 mg/unit**

Total THC

**83.32 mg/unit**

Total CBD

**254.12 mg/unit**

Total Cannabinoids

| Analytes                   | LOD   | LOQ   | Result       | Result      | Result         | Result        |
|----------------------------|-------|-------|--------------|-------------|----------------|---------------|
|                            | mg/g  | mg/g  | %            | mg/g        | mg/unit        | mg/serving    |
| THCa                       | 0.012 | 0.037 | ND           | ND          | ND             | ND            |
| Δ9-THC                     | 0.013 | 0.039 | 0.234        | 2.34        | 94.85          | 6.324         |
| Δ8-THC                     | 0.014 | 0.043 | 0.187        | 1.87        | 75.94          | 5.063         |
| THCVa                      | 0.014 | 0.042 | ND           | ND          | ND             | ND            |
| THCV                       | 0.014 | 0.044 | ND           | ND          | ND             | ND            |
| CBDa                       | 0.013 | 0.038 | ND           | ND          | ND             | ND            |
| CBD                        | 0.012 | 0.037 | 0.205        | 2.05        | 83.32          | 5.555         |
| CBN                        | 0.011 | 0.035 | ND           | ND          | ND             | ND            |
| CBGa                       | 0.014 | 0.042 | ND           | ND          | ND             | ND            |
| CBG                        | 0.013 | 0.038 | ND           | ND          | ND             | ND            |
| CBCa                       | 0.011 | 0.034 | ND           | ND          | ND             | ND            |
| CBC                        | 0.013 | 0.040 | ND           | ND          | ND             | ND            |
| <b>Total THC</b>           |       |       | <b>0.234</b> | <b>2.34</b> | <b>94.853</b>  | <b>6.324</b>  |
| <b>Total CBD</b>           |       |       | <b>0.205</b> | <b>2.05</b> | <b>83.323</b>  | <b>5.555</b>  |
| <b>Total Cannabinoids</b>  |       |       | <b>0.626</b> | <b>6.26</b> | <b>254.117</b> | <b>16.941</b> |
| <b>Sum of Cannabinoids</b> |       |       | <b>0.626</b> | <b>6.26</b> | <b>254.117</b> | <b>16.941</b> |

1 Unit = 40.6g; 15 servings per container;

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms \* 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Kevin Nolan  
Laboratory Director | 02/03/2023



## HMP-EDB-BBB-012023

METRC Batch:  
METRC Sample:  
Sample ID: 2301ENC1166\_3770  
Strain: HMP-EDB-BBB-012023  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
STIIIZY HEMP  
Lic. #  
,,  
,, CA, 90001

## Pesticides


Method: EL-PESTMYCOLCMS

| Analytes            | LOD   | LOQ  | Limit | Result | Status | Analytes           | LOD   | LOQ   | Limit | Result | Status |
|---------------------|-------|------|-------|--------|--------|--------------------|-------|-------|-------|--------|--------|
|                     | µg/g  | µg/g | µg/g  | µg/g   |        |                    | µg/g  | µg/g  | µg/g  | µg/g   |        |
| Abamectin           | 0.005 | 0.02 | 0.30  | ND     | Pass   | Fludioxonil        | 0.01  | 0.05  | 30.00 | ND     | Pass   |
| Acephate            | 0.002 | 0.01 | 5.00  | ND     | Pass   | Hexythiazox        | 0.005 | 0.02  | 2.00  | ND     | Pass   |
| Acequinocyl         | 0.01  | 0.02 | 4.00  | ND     | Pass   | Imazalil           | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Acetamiprid         | 0.005 | 0.02 | 5.00  | ND     | Pass   | Imidacloprid       | 0.005 | 0.02  | 3.00  | ND     | Pass   |
| Aldicarb            | 0.05  | 0.1  | 0.05  | ND     | Pass   | Kresoxim Methyl    | 0.005 | 0.02  | 1.00  | ND     | Pass   |
| Azoxystrobin        | 0.005 | 0.02 | 40.00 | ND     | Pass   | Malathion          | 0.02  | 0.05  | 5.00  | ND     | Pass   |
| Bifenazate          | 0.005 | 0.01 | 5.00  | ND     | Pass   | Metalaxyl          | 0.002 | 0.005 | 15.00 | ND     | Pass   |
| Bifenthrin          | 0.02  | 0.05 | 0.50  | ND     | Pass   | Methiocarb         | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Boscalid            | 0.02  | 0.05 | 10.00 | ND     | Pass   | Methomyl           | 0.01  | 0.02  | 0.10  | ND     | Pass   |
| Captan              | 0.2   | 0.3  | 5.00  | ND     | Pass   | Parathion Methyl   | 0.02  | 0.05  | 0.05  | ND     | Pass   |
| Carbaryl            | 0.02  | 0.05 | 0.50  | ND     | Pass   | Mevinphos          | 0.02  | 0.05  | 0.05  | ND     | Pass   |
| Carbofuran          | 0.05  | 0.1  | 0.05  | ND     | Pass   | Myclobutanil       | 0.005 | 0.01  | 9.00  | ND     | Pass   |
| Chlorantraniliprole | 0.002 | 0.01 | 40.00 | ND     | Pass   | Naled              | 0.01  | 0.02  | 0.50  | ND     | Pass   |
| Chlordane           | 0.05  | 0.1  | 0.05  | ND     | Pass   | Oxamyl             | 0.005 | 0.01  | 0.20  | ND     | Pass   |
| Chlorfenapyr        | 0.05  | 0.1  | 0.05  | ND     | Pass   | Paclobutrazol      | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Chlorpyrifos        | 0.05  | 0.1  | 0.05  | ND     | Pass   | PCNB               | 0.02  | 0.05  | 0.20  | ND     | Pass   |
| Clofentezine        | 0.01  | 0.02 | 0.50  | ND     | Pass   | Permethrin         | 0.02  | 0.05  | 20.00 | ND     | Pass   |
| Coumaphos           | 0.02  | 0.05 | 0.05  | ND     | Pass   | Phosmet            | 0.01  | 0.02  | 0.20  | ND     | Pass   |
| Cyfluthrin          | 0.05  | 0.1  | 1.00  | ND     | Pass   | Piperonyl Butoxide | 0.02  | 0.05  | 8.00  | ND     | Pass   |
| Cypermethrin        | 0.1   | 0.2  | 1.00  | ND     | Pass   | Prallethrin        | 0.005 | 0.02  | 0.40  | ND     | Pass   |
| Daminozide          | 0.02  | 0.05 | 0.05  | ND     | Pass   | Propiconazole      | 0.005 | 0.01  | 0.10  | ND     | Pass   |
| Diazinon            | 0.002 | 0.01 | 0.20  | ND     | Pass   | Propoxure          | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Dichlorvos          | 0.02  | 0.05 | 0.05  | ND     | Pass   | Pyrethrins         | 0.02  | 0.05  | 1.00  | ND     | Pass   |
| Dimethoate          | 0.02  | 0.05 | 0.05  | ND     | Pass   | Pyridaben          | 0.005 | 0.01  | 3.00  | ND     | Pass   |
| Dimethomorph        | 0.005 | 0.02 | 20.00 | ND     | Pass   | Spinetoram         | 0.005 | 0.01  | 3.00  | ND     | Pass   |
| Ethoprophos         | 0.05  | 0.1  | 0.05  | ND     | Pass   | Spinosad           | 0.005 | 0.01  | 3.00  | ND     | Pass   |
| Etofenprox          | 0.05  | 0.1  | 0.05  | ND     | Pass   | Spiromesifen       | 0.01  | 0.02  | 12.00 | ND     | Pass   |
| Etoxazole           | 0.005 | 0.02 | 1.50  | ND     | Pass   | Spirotetramat      | 0.005 | 0.01  | 13.00 | ND     | Pass   |
| Fenhexamid          | 0.005 | 0.02 | 10.00 | ND     | Pass   | Spiroxamine        | 0.05  | 0.1   | 0.05  | ND     | Pass   |
| Fenoxycarb          | 0.05  | 0.1  | 0.05  | ND     | Pass   | Tebuconazole       | 0.005 | 0.01  | 2.00  | ND     | Pass   |
| Fenpyroximate       | 0.005 | 0.02 | 2.00  | ND     | Pass   | Thiacloprid        | 0.02  | 0.05  | 0.05  | ND     | Pass   |
| Fipronil            | 0.05  | 0.1  | 0.05  | ND     | Pass   | Thiamethoxam       | 0.005 | 0.01  | 4.50  | ND     | Pass   |
| Flonicamid          | 0.01  | 0.02 | 2.00  | ND     | Pass   | Trifloxystrobin    | 0.005 | 0.01  | 30.00 | ND     | Pass   |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



  
Kevin Nolan  
Laboratory Director | 02/03/2023



## HMP-EDB-BBB-012023

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3770**  
Strain: HMP-EDB-BBB-012023  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIIZY HEMP**  
Lic. #  
,,  
CA, 90001

### Mycotoxins

Method: EL-PESTMYCOLCMS

| Analytes         | LOD   | LOQ   | Limit | Result | Status |
|------------------|-------|-------|-------|--------|--------|
|                  | µg/kg | µg/kg | µg/kg | µg/kg  |        |
| Aflatoxin B1     | 1.00  | 2.00  |       | ND     | Tested |
| Aflatoxin B2     | 1.00  | 2.00  |       | ND     | Tested |
| Aflatoxin G1     | 2.00  | 4.00  |       | ND     | Tested |
| Aflatoxin G2     | 1.00  | 2.00  |       | ND     | Tested |
| Ochratoxin A     | 4.00  | 10.00 | 20.00 | ND     | Pass   |
| Total Aflatoxins |       |       | 20.00 | ND     | Pass   |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Residual Solvents

Method: EL-RES\_SOLVENTS

| Analytes            | LOD   | LOQ    | Limit | Result | Status |
|---------------------|-------|--------|-------|--------|--------|
|                     | µg/g  | µg/g   | µg/g  | µg/g   |        |
| Acetone             | 33.00 | 100.00 | 5000  | ND     | Pass   |
| Acetonitrile        | 10.00 | 30.00  | 410   | ND     | Pass   |
| Benzene             | 0.09  | 0.28   | 1     | ND     | Pass   |
| Butane              | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Chloroform          | 0.10  | 0.29   | 1     | ND     | Pass   |
| Ethanol             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Ethyl-Acetate       | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Ethyl-Ether         | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Ethylene Oxide      | 0.08  | 0.24   | 1     | ND     | Pass   |
| Heptane             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| n-Hexane            | 10.00 | 30.00  | 290   | ND     | Pass   |
| Isopropanol         | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Methanol            | 10.00 | 30.00  | 3000  | ND     | Pass   |
| Methylene-Chloride  | 0.10  | 0.31   | 1     | ND     | Pass   |
| 1,2-Dichloro-Ethane | 0.10  | 0.29   | 1     | ND     | Pass   |
| Pentane             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Propane             | 10.00 | 30.00  | 5000  | ND     | Pass   |
| Toluene             | 10.00 | 30.00  | 890   | ND     | Pass   |
| Xylenes             | 20.00 | 60.00  | 2170  | ND     | Pass   |
| Trichloroethene     | 0.10  | 0.29   | 1     | ND     | Pass   |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Microbial Impurities

Method: SOP EL-MICROBIALS

| Analytes                               | Result             | Status |
|----------------------------------------|--------------------|--------|
| Shiga toxin-producing Escherichia coli | Not Detected in 1g | Pass   |
| Salmonella spp                         | Not Detected in 1g | Pass   |

Date Tested: 02/01/2023



*Kevin Nolan*  
Kevin Nolan  
Laboratory Director | 02/03/2023



## HMP-EDB-BBB-012023

METRC Batch:  
METRC Sample:  
**Sample ID: 2301ENC1166\_3770**  
Strain: HMP-EDB-BBB-012023  
Matrix: Ingestible  
Type: Soft Chew  
Batch#:

Collected: 01/30/2023  
Received: 01/30/2023  
Completed: 02/03/2023  
Sample Size: 1 units;

Distributor  
**STIIIZY HEMP**  
Lic. #  
., CA, 90001

### Heavy Metals


Method: SOP EL-HEAVYMETALS

| Analytes | LOD   | LOQ   | Limit | Result | Status |
|----------|-------|-------|-------|--------|--------|
|          | µg/g  | µg/g  | µg/g  | µg/g   |        |
| Arsenic  | 0.012 | 0.036 | 1.500 | ND     | Pass   |
| Cadmium  | 0.015 | 0.044 | 0.500 | ND     | Pass   |
| Lead     | 0.055 | 0.167 | 0.500 | ND     | Pass   |
| Mercury  | 0.005 | 0.015 | 3.000 | ND     | Pass   |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



  
Kevin Nolan  
Laboratory Director | 02/03/2023

